

ENGINEERING & METAL WORKING SOLUTIONS



MAKE. MOVE. GO

HIKOKI

HIGH PERFORMANCE CORDLESS ANGLE GRINDERS

THE POWER OF HIKOKI CORDLESS TECHNOLOGY



G3618DA

36V Brushless
180mm Angle Grinder
Paddle Switch

UP TO
2350W MAXIMUM
OUTPUT*



G3623DA

36V Brushless
230mm Angle Grinder
Paddle Switch

UP TO
2350W MAXIMUM
OUTPUT*



G3613DVE

36V Brushless
125mm Angle Grinder
Slide Switch

UP TO
1900W MAXIMUM
OUTPUT*



G3613DVF

36V Brushless
125mm Angle Grinder
Paddle Switch

UP TO
1900W MAXIMUM
OUTPUT*



G1813DA

18V Brushless
125mm Angle Grinder
Slide Switch

UP TO
950W MAXIMUM
OUTPUT*



G1813DF

18V Brushless
125mm Angle Grinder
Paddle Switch

UP TO
950W MAXIMUM
OUTPUT*

AC-Like
Performance



Optional
Precision Cutting
Shroud CED125 PLUS



*When powered off a BSL3640MVT T-PWR Battery Pack.

SUPERIOR FEATURES MAXIMISED FOR OPTIMAL PERFORMANCE

G3613DVE/DVF Angle Grinders now exceed the performance of equivalent AC models.
Both models have been optimally designed with the latest safety and high performance features.



AUTO Mode

The speed automatically shifts from 55% to 100% depending on the load preserving the battery energy.



Variable Speed Control

Adjust the rotation speed anywhere between 3,200 - 10,000rpm to suit the application.



Superior Dust Filtration

New mesh filter designed for additional protection from dust, reducing contamination of internal components.



Tool-less Guard Adjustment

Easy and hassle free quick guard adjustment system ensures this essential safety component is used correctly.



Super Slim Body Design

Smallest in class diameter - only 56mm making it easy to grip and control for extended periods.



Dual LED Lights

Dual LEDs illuminate both sides of wheels for superior visibility.

36V Brushless 125mm Angle Grinder Bare Tool

G3613DVE(G4Z)

- Powerful grinding with 1900W max output*
- Anti-kickback, restart, brake and overload protection
- Self protection mode and drop shut-off sensor
- Variable Speed and Automode
- Slide switch for quick on/off

Supplied without batteries, charger and case

Also available as a kit G3613DVE(GTZ)



Specifications

Voltage	36V
Wheel Diameter	125mm
Spindle Thread	M14 x 2
Hole Diameter	22.23mm
No Load Speed	Auto: 5,500 - 10,000/min 3,200 - 10,000/min
Switch Type	Slide Switch ✓
Motor Type	Brushless ✓
Max Output Power	BSL3640MVT 1,900W*
Weight	2.4kg



Scan for full tool specs.

36V Brushless 125mm Angle Grinder Bare Tool

G3613DVF(G4Z)

- Powerful grinding with 1900W max output*
- Anti-kickback, restart, brake and overload protection
- Paddle Switch design for added safety
- Variable Speed and Automode

Supplied without batteries, charger and case

Also available as a kit G3613DVF(GTZ)



Specifications

Voltage	36V
Wheel Diameter	125mm
Spindle Thread	M14 x 2
Hole Diameter	22.23mm
No Load Speed	Auto: 5,500 - 10,000/min 3,200 - 10,000/min
Switch Type	Paddle Switch ✓
Motor Type	Brushless ✓
Max Output Power	BSL3640MVT 1,900W*
Weight	2.4kg



Scan for full tool specs.

18V Brushless 125mm Angle Grinder Bare Tool

G1813DA(G4Z)

- Powerful grinding with 950W max output*
- Anti-kickback, restart and overload protection
- Slide Switch and Anti-vibration handle
- Soft-start safety feature

Supplied without batteries, charger and case



Specifications

Voltage	18V
Wheel Diameter	125mm
Spindle Thread	M14 x 2
Hole Diameter	22.23mm
No Load Speed	8,000/min
Switch Type	Slide Switch ✓
Motor Type	Brushless ✓
Max Output Power	BSL3640MVT 950W*
Weight	2.4kg



Scan for full tool specs.

18V Brushless 125mm Angle Grinder Bare Tool

G1813DF(G4Z)

- Powerful grinding with 950W max output*
- Anti-kickback, restart, brake and overload protection
- Paddle Switch and Anti-vibration handle
- Variable Speed and Automode

Supplied without batteries, charger and case



Specifications

Voltage	18V
Wheel Diameter	125mm
Spindle Thread	M14 x 2
Hole Diameter	22.23mm
No Load Speed	Auto : 5,500/min 3,200 - 8,000/min
Switch Type	Paddle Switch ✓
Motor Type	Brushless ✓
Max Output Power	BSL3640MVT 950W*
Weight	2.4kg



Scan for full tool specs.

36V Brushless 230mm Angle Grinder Bare Tool

G3623DA(G4Z)

- Powerful grinding with 2350W max output*
- Anti-kickback, brake and restart safety features
- Dust and water protection
- Variable Speed and Automode

Supplied with side handle and wrench.

Supplied without batteries, charger and case



Specifications

Voltage	36V
Wheel Diameter	230mm
Spindle Thread	M14 x 2
Hole Diameter	22.23mm
No Load Speed	Auto : 3,200/min 5,300/min
Motor Type	Brushless ✓
Max Output Power	BSL3640MVT 2350W*
Weight	(BSL36B18X) 4.9kg



Scan for full tool specs.

18V Brushless 6mm Die Grinder Bare Tool

GP18DB(G4Z)

- High performance brushless motor
- Variable Speed function and soft-start for greater control
- AUTOMode or Transmission mode
- Anti-kickback, brake and restart protection
- Consistent speed control
- Overload protection
- Paddle switch for increased user safety

Supplied without batteries and charger.



Specifications

Voltage	18V
Max. Wheel Capacity	50mm
Collet Size	6mm
Mode	Transmission/Auto
Switch Type	Paddle Switch
Variable Speed	Yes (Dial)
No Load Speed	7,000 - 29,000/min
Weight	1.5kg



Scan for full tool specs.

*When powered by a BSL3640MVT T-PWR Battery (Sold separately)

IMPACT WRENCHES - BEST POWER TO WEIGHT RATIO

HiKOKI Impact Wrenches delivers more nut busting torque and a better power to weight ratio.

600Nm
NUT BUSTING TORQUE



WR18DH
2.0kg
(BSL36A18X)

700Nm
NUT BUSTING TORQUE



WR36DH
2.0kg
(BSL36A18X)

1050Nm
NUT BUSTING TORQUE



WR36DE
2.6kg
(BSL36A18X)

1650Nm
NUT BUSTING TORQUE



WR36DB
3.7kg
(BSL36A18X)

1800Nm
NUT BUSTING TORQUE



WR36DA
3.7kg
(BSL36A18X)

2000Nm
NUT BUSTING TORQUE



WR36DG
3.9kg
(BSL36A18X)

2400Nm
NUT BUSTING TORQUE



WR36DF
3.9kg
(BSL36A18X)

18V Brushless 1/2" 345Nm Impact Wrench Bare Tool

WR18DH(G4Z)

- Compact, lightweight and powerful
- Huge 345Nm tightening torque
- 600Nm nut busting torque
- Auto Stop prevents over-tightening
- Reverse rotation auto-slow function

Supplied without batteries and charger.

Specifications

Voltage	18V
Square Drive	1/2"
Max Torque	345Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M10 - M20 HTB M10 - M16
IP Rated	IP56
Weight	2.0kg



Scan for full tool specs.

36V Brushless 1/2" 380Nm Impact Wrench Bare Tool

WR36DH(G4Z)

- Compact, lightweight and powerful
- Huge 380Nm tightening torque
- 700Nm nut busting torque
- Auto Stop prevents over-tightening
- Reverse rotation auto-slow function

Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2"
Max Torque	380Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M10 - M20 HTB M10 - M16
IP Rated	IP56
Weight	2.0kg



Scan for full tool specs.

36V Brushless 1/2" 770Nm Impact Wrench Bare Tool

WR36DE(G4Z)

- Compact, lightweight and powerful
- Huge 770Nm tightening torque
- 1050Nm nut busting torque
- Auto Stop prevents over-tightening
- IP56 Water and Dust protection

Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2"
Max Torque	770Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,400/min
Impact Modes	0 - 3,400/min
Capacity Bolt	OB M10 - M24 HTB M10 - M20
IP Rated	IP56
Weight	2.6kg



Scan for full tool specs.

36V Brushless 1/2" 1,050Nm Impact Wrench Bare Tool

WR36DB(G4Z)

- Powerful high torque model
- Huge 1050Nm tightening torque
- 1650Nm nut busting torque
- 4 Mode selector
- IP56 Water and Dust protection

Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2"
Max Torque	1050Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,900/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

36V Brushless 3/4" 1,110Nm Impact Wrench Bare Tool

WR36DA(G4Z)

- Powerful high torque model
- Huge 1,100Nm tightening torque
- 1,800Nm nut busting torque
- 4 Mode selector
- IP56 Water and Dust protection

Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	3/4"
Max Torque	1100Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

36V Brushless 1/2" 1,400Nm Impact Wrench Bare Tool

WR36DG(G4Z)

- Powerful high torque model
- Huge 1400Nm tightening torque
- 2,000Nm nut busting torque
- Auto Stop prevents over-tightening
- Reverse rotation auto-slow function

Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	1/2"
Max Torque	1400Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,500/min
Capacity Bolt	OB M12 - M33 HTB M10 - M24
IP Rated	IP56
Weight	3.9kg



Scan for full tool specs.

36V Brushless 3/4" 1,900Nm Impact Wrench Bare Tool

WR36DF(G4Z)

- Powerful high torque model
- Huge 1900Nm tightening torque
- 2,400Nm nut busting torque
- Auto Stop prevents over-tightening
- Reverse rotation auto-slow function

Supplied without batteries and charger.

Specifications

Voltage	36V
Square Drive	3/4"
Max Torque	1,900Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 1,500/min
Impact Modes	0 - 2,600/min
Capacity Bolt	OB M10 - M26 HTB M10 - M27
IP Rated	IP56
Weight	3.9kg



Scan for full tool specs.

36V Brushless 1/2" 770Nm Impact Wrench Kit

WR36DE(GPZ)

- Lightweight and powerful
- Huge 770Nm tightening torque
- 1050Nm nut busting torque
- IP56 Water and Dust protection

Supplied with 1x BSL36A18X, Rapid Charger, Case 3.

Specifications

Voltage	36V
Square Drive	1/2"
Max Torque	770Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,400/min
Impact Modes	0 - 3,400/min
Capacity Bolt	OB M10 - M24 HTB M10 - M20
IP Rated	IP56
Weight	2.6kg



Scan for full tool specs.

36V Brushless 3/4" 1,110Nm Impact Wrench Kit

WR36DA(GPZ)

- Powerful high torque model
- Huge 1,100Nm tightening torque
- 1,800Nm nut busting torque
- 4 Mode selector

Supplied with 1x BSL36A18X, Rapid Charger, Belt Hook, Case 3.

Specifications

Voltage	36V
Square Drive	3/4"
Max Torque	1100Nm
Modes	4 Speed Modes 4 Impact Modes
No Load Speed	0 - 2,800/min
Impact Modes	0 - 4,000/min
Capacity Bolt	OB M12 - M30 HTB M10 - M24
IP Rated	IP56
Weight	3.7kg



Scan for full tool specs.

CORDLESS DRILL SOLUTIONS

36V Brushless 13mm 155Nm Impact Drill Bare Tool

DV36DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case

Supplied without battery and charger.
Also available as a kit DV36DC(GRZ)



Scan for full tool specs.



Specifications

Torque	155Nm
Wood Capacity	118mm
Steel Capacity	20mm
Masonry Capacity	20mm
No Load Speed	500/2,200/min
Impact Rate	7,500/33,000/min

36V Brushless 13mm 155Nm Driver Drill Bare Tool

DS36DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.



Scan for full tool specs.



Specifications

Torque	155Nm
Wood Capacity	118mm
Steel Capacity	20mm
No Load Speed	500/2,200/min

18V Brushless 13mm 140Nm Impact Drill Bare Tool

DV18DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.



Scan for full tool specs.



Specifications

Torque	140Nm
Wood Capacity	118mm
Steel Capacity	16mm
Masonry Capacity	20mm
No Load Speed	500/2,200/min
Impact Rate	7,500/30,000/min

18V Brushless 13mm Impact Drill Bare Tool

DV18DE(G4Z)

- Compact, Powerful brushless model
- Reactive Force Control safety function
- Durable metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.

Also available as a kit DV18DE(GMZ)



Specifications

Drill Chuck	13mm
Wood Capacity	52mm
Steel Capacity	13mm
Masonry Capacity	13mm
No Load Speed	0-550/min (low) / 2,000/min (high)
Impact Rate	0-30,000/min



Scan for full tool specs.

36V Brushless 13mm Right Angle Drill Bare Tool

D36DYA(G4Z)

- Heavy duty brushless model
 - Superior drilling capacity up to 159mm hole saws
 - 2 speed gear box
 - Reactive Force Control for added safety
 - Heavy duty 13mm keyed chuck
- Supplied without battery and charger.



Specifications

Drill Chuck	13mm
Wood Capacity	118mm
Steel Capacity	13mm
Hole Saw	159mm
No Load Speed	0-400/min (low) / 0-1,500/min (high)



Scan for full tool specs.

18V 10mm Angle Drill Bare Tool

DN18DSL(G4Z)

- 10mm single sleeve keyless chuck
 - Compact model with low profile head
 - Variable speed paddle trigger
 - Electric brake
 - LED light to illuminate workspace
- Supplied without battery and charger.



Specifications

Drill Chuck	10mm
Wood Capacity	28mm
Steel Capacity	10mm
No Load Speed	0-1,800/min
Overall Length	326mm



Scan for full tool specs.

36V Brushless 20mm Heavy Duty Impact Drill Bare Tool

DV3620DA(G4Z)

- Powerful heavy-duty brushless motor
 - For heavy-duty drilling applications
 - Designed for large capacity drilling under high load
 - 13mm heavy duty metal keyless chuck
 - Reduction gearbox to deliver high output
- Supplied without battery and charger.



Specifications

Core Bit Capacity	160mm
Wood Capacity	40mm
Steel Capacity	16mm
Masonry Capacity	20mm
No Load Speed	0-1,000/min (low) / 0-1,400/min (high)
Impact Rate	13,000/min (low) / 18,200/min (high)



Scan for full tool specs.

REACTIVE FORCE CONTROL WITH GYRO SENSOR



A Gyroscope sensor built in the controller measures angular velocity. When its value goes beyond a specified threshold, and the tool is swung dramatically, the motor stops.

RFC
WITH GYRO SENSOR



18V One-handed Sabre Saw Bare Tool

CR18DA(G4Z)

- Accepts standard sabre saw and jigsaw blades
- Functions like a jigsaw as well
- Variable speed
- Compact design for one or two-handed use
- Tool-less blade adjustment and tool-less quick-blade function
- 1.2kg in weight
- Cutting capacity up to 50mm

Supplied without batteries and charger.



Scan for full tool specs.

18V Brushless Sabre Saw Bare Tool

CR18DBL(G4Z)

- New fast-cutting curved blade
- Tool-less blade change and tool-less shoe adjustment
- 4 stage selector mode allows max speed adjustment between low, medium, high and AUTO mode
- Bright LED light and large pivoting hook
- Fast stopping brake
- Blades can be mounted upside down to perform pocket cuts
- Accepts standard sabre saw blades

Supplied without batteries, charger and carry case



Scan for full tool specs.

18V Brushless Sabre Saw Bare Tool

CR18DMA(G4Z)

- New fast-cutting curved blade
- Anti-vibration system for low vibration and maximum comfort (UVP)
- Tool-less blade change and tool-less shoe adjustment
- 4 stage selector mode allows max speed adjustment between low, medium, high and AUTO mode
- Mount blades upside down to perform pocket cuts
- Accepts standard sabre saw blades

Supplied without batteries, charger and carry case.
Supplied with blade.



Scan for full tool specs.

36V High Powered Brushless Sabre Saw Bare Tool

CR36DA(G4Z)

- Heavy Duty twin rotation counterweight drive system
- Orbital mode cutting or straight cutting mode
- UVP Anti-vibration system
- 4-stage selector - low, medium, high and AUTO mode
- 36V High Performance brushless motor
- Quick and easy tool-less blade change

Supplied without batteries, charger and carry case.
Supplied with blade.

Also available as a kit CR36DA(GGZ)



Scan for full tool specs.

36V Brushless Band Saw Bare Tool

CB3612DA(W4Z)

- Huge cutting capacity of 127 x 127mm
- Highest cutting speed in its class
- Toolless band saw blade change
- Variable speed control
- Auto mode for automatic control of speed
- Powerful brushless motor for increase power under load

Supplied without battery and charger.



Scan for full tool specs.

18V High Speed Nibbler Bare Tool

CN18DSL(G4Z)

- 40mm minimum cutting radius
- Three adjustable positions for changing the cutting direction
- Cut up to 20m off one fully charged 18V 5.0Ah Lithium-ion battery
- 1.8m/min cutting speed
- Cuts 1.6mm (16ga) steel

Supplied without batteries, charger and carry case



Scan for full tool specs.

18V Brushless Threaded Rod Cutter Bare Tool

CL18DA(W2Z)

- Brushless motor increases power, cutting speed and provides longer runtime
- Depth gauge that allows for consistent and accurate cutting depth
- Deburring trimmer smoothly removes sharp edges a clean finish
- Cuts mild steel full thread W5/16, W3/8, W1/2, M6, M8, M10, M12. Stainless Steel W3/8

Includes collection box and integrated LED light.
Supplied without battery and charger.



Scan for full tool specs.

18V Brushless 135mm Metal Cutting Saw Bare Tool

CD1805DB(G4Z)

- 135mm Metal TCT Blade - accepts up to 150mm metal cutting blades
- Max. Cutting Dept of 51.5mm (135mm Blade) or 57.5mm (150mm blade)
- Overload protection with anti-kickback safety feature
- Seamlessly switch rotation speeds (Power Mode / Silent Mode)
- Quick and easy blade change with protective dust collecting housing
- Soft-start for smooth control upon startup

Supplied without batteries and charger.
Includes Rafter Hook, Blade, Wrench.



Scan for full tool specs.



18V Cordless 450g Grease Gun Bare Tool

AL18DA(G4Z)

- Variable flow dial with up to 10 pre-set discharge pressure settings
- High discharge pressure (690 bar)
- Detachable LED light on hose for high visibility
- 1200mm flexible hose length for quick easy access into tight spaces
- 3-way filling system: Grease cartridge, containers or direct filling

Supplied without batteries and charger. Includes Shoulder Strap, LED light



Scan for full tool specs.

18V Cordless 450g Grease Gun Kit

AL18DA(GRZ)

- Variable flow dial with up to 10 pre-set discharge pressure settings
- High discharge pressure (690 bar)
- Detachable LED light on hose for high visibility
- 1200mm flexible hose length for quick easy access into tight spaces
- 3-way filling system: Grease cartridge, containers or direct filling

Supplied with 1080W MV battery, charger and case. Includes Shoulder Strap, LED light



Scan for full tool specs.

18V 160psi Dual Pump Inflator Bare Tool

UP18DA(W4Z)

- High pressure mode delivers up to max. 160psi for inflating tires
- High volume mode for inflating and deflating recreational equipment such as air mattresses
- Backlit display for added convenience and ease of use
- Choose to power via 12V DC adaptor or batteries (Batteries not included)

Supplied without batteries and charger. Includes 12V DC adapter, High-volume hose, High pressure tapered nozzle, Ball needle, Presta valve adapter, Dunlop valve adapter, Large high volume adapter, High volume tapered nozzle



Scan for full tool specs.

36V Brushless 7.3L Compressor Bare Tool

EC36DA(G4Z)

- 17 sec. refill time (BSL36A18) or up to 15 sec. refill time (BSL36B18)
- All metal roll-cage for added durability
- Oil-free design for low maintenance
- Compact hotdog tank design for easy transportation
- Max. working pressure 135psi
- Includes Nitto Style Coupling featuring a larger internal diameter, allowing an increased air volume to pass through the fitting for high demanding air tools

Supplied without batteries and charger. Includes external intake filter, Nitto Style Coupling



Scan for full tool specs.

18V L-Class Wet & Dry Vacuum Bare Tool

RP18DLA(W4Z)

- Compact, lightweight and portable wet and dry vacuum
- Certified L-Class Vacuum
- Two suction modes (Eco Mode / Boost Mode)
- 1.9m³/min Max Airflow Rating
- Press clean button allows for manual filter cleaning to restore suction power
- Handy blower function
- Approx up to 44.5min operating time off a BSL36B18X in eco mode

Supplied without batteries and charger



Scan for full tool specs.

18V Brushless Air Duster Bare Tool

RA18DA(G4Z)

- Variable speed control for wide range of applications
- High performance brushless motor
- Lightweight and compact design
- Built-in LED light for high visibility
- Approx. 122m/s Air Velocity
- 0.7m³/min maximum airflow
- Lock-on trigger and two mode operation
- Tool-less nozzle changing system

Supplied without batteries, charger. Includes Air Dusting Nozzle, Suction Attachment, Inflating & Deflating Nozzle.



Scan for full tool specs.

36V Brushless Blower Bare Tool

RB36DC(W4Z)

- High-Powered 36V Brushless Motor – Delivers serious blowing force up to 257 km/h Max Air Speed
- Easily moves wet leaves, sticks, and other heavy debris
- Lightweight & Well-Balanced Design
- Variable Speed Trigger and Cruise Control Function

Includes Turbo & Flat Nozzles



Scan for full tool specs.

18V 3-Stage Blower Bare Tool

RB18DC(G4Z)

- Best-In-Class air volume flow
- 3-Stage Control (Low / Medium / High)
- Approx 3.5m³/min air volume
- Lock-on button
- Low vibration
- Optional Dust Extraction (Sold Separately) #323587

Supplied without batteries, charger and carry case



Scan for full tool specs.

JOBSITE LIGHTING SOLUTIONS



UB18DJL(L0Z)
230lm Torch



UB18DE(E4Z)
250lm Torch



UB18DF(E4Z)
750lm Lantern



UB18DH(E4Z)
1050lm Spotlight



UB18DB(E4Z)
2000lm Light



UB18DD(E4Z)
10,000lm Light
Includes AC powercord



UB18DG(E4Z)
4000lm Tripod Light
Includes AC powercord

UNLEASH MORE **POWER**

2160W
MAX OUTPUT

8.0AH (18V)
4.0AH (36V)

21700
HIGH OUTPUT
TABLESS CELLS



BSL3640MVT
HIGH OUTPUT TABLESS BATTERY



**LEARN
MORE**


TABLESS CELL *TECHNOLOGY*

The HiKOKI T-PWR Tabless Battery (BSL3640MVT) has been built with less internal resistance allowing for more power to flow from the tabless battery to the power tool increasing both the overload capacity and tool speed. The diagram shows the difference between HiKOKI's innovative T-PWR Tabless Cell vs. Conventional Cell. The power of the conventional cell gets bottlenecked at a single positive and negative tab while the tabless cell delivers free fast-flowing power with almost no resistance.



T-PWR 21700
TABLESS CELL

vs.



CONVENTIONAL
21700 CELL



HIGH-POWERED COMBO KITS

18V Brushless 3-Tool Combo Kit

KC18DE(GCZ)



Scan for full tool specs.

18V Brushless Impact Drill & Angle Grinder Kit

KC182DE(GRZ)



Scan for full tool specs.

18V Brushless 3-Tool Combo Kit

KC183DA(GRZ)



Scan for full tool specs.

36V/18V Brushless 5-Tool Combo Kit

KC18365DA(GRZ)



Scan for full tool specs.

36V Premium Brushless Impact Drill & Impact Driver Kit

KC36DC(GRZ)



Scan for full tool specs.

36V Premium Brushless 5-Tool Combo Kit

KC365DC(GRZ)



Scan for full tool specs.

36V Brushless Impact Drill and Impact Wrench Kit

KC362DPL(GRZ)



Scan for full tool specs.

36V Premium Brushless 3-Tool Combo Kit

KC363DRBL(GRZ)



Scan for full tool specs.

**POWER UP. PERFORM HARDER.
DOMINATE EVERY JOB.**



**SCAN THE
QR CODE NOW**

to explore HiKOKI's most powerful Combo Kits — engineered to lift your performance on site, boost efficiency, and keep you ahead of the game.



A CHARGING SOLUTION FOR EVERY JOB.



Portable USB Power Charger Set

UC18DA(H4Z)

- Charges 18V & MULTI VOLT batteries
- 1x 65W USB-C PD IN/OUT
- 1x 5V-2.5A USB-C OUT

100min

CHARGING BSL36A18X

CHARGE MOBILE



Rapid Smart Charger

UC18YSL3(H0Z)

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- 1x USB-A 5V-2A Output

32min

CHARGING BSL36A18X

CHARGE FAST



12A Max Fast Charger

UC36YSL2

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- 1x USB-A 5V-2A Output

25min

CHARGING BSL36A18X

CHARGE FASTEST



4-Port Rapid Smart Charger

UC18YTSL

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- Simultaneous or Sequential charging modes
- 1x USB-A 5V-2A Output

32min

CHARGING BSL36A18X

CHARGE MORE



18V

36V

HiKOKI
POWER TOOLS
BARE TOOL
MULTI VOLT



HiKOKI
MULTI VOLT



A POWER SOLUTION FOR EVERY JOB.



360W
MAX OUTPUT
2.0AH (18V)

18650
HIGH OUTPUT CELLS
BSL1820M
COMPACT
LITHIUM-ION BATTERY



720W
MAX OUTPUT
4.0AH (18V)

21700
HIGH OUTPUT CELLS
BSL1840M
COMPACT
LITHIUM-ION BATTERY



1080W
MAX OUTPUT
5.0AH (18V)
2.5AH (36V)

18650
HIGH OUTPUT CELLS
BSL36A18X
HIGH OUTPUT
MULTI VOLT BATTERY



1440W
MAX OUTPUT
8.0AH (18V)
4.0AH (36V)

21700
HIGH OUTPUT CELLS
BSL36B18X
HIGH OUTPUT
MULTI VOLT BATTERY



2160W
MAX OUTPUT
8.0AH (18V)
4.0AH (36V)

21700
HIGH OUTPUT
TABLESS CELLS
BSL3640MVT
HIGH OUTPUT TABLESS
MULTI VOLT BATTERY



2000W
MAX OUTPUT
230V
INPUT VOLTAGE

36V
VOLTAGE OUTPUT
ET36A
AC POWER ADAPTOR

AC ANGLE GRINDERS



2300W 230mm
Heavy Duty
Angle Grinder
G23MR(G1Z)

2000W 230mm
High Performance
Angle Grinder
G23ST(G1Z)

1400W 125mm
Heavy Duty
Angle Grinder
G13SB4(G1Z)

1400W 125mm
Heavy Duty
Angle Grinder
G13SE3(G1Z)

730W 125mm
All Purpose
Angle Grinder
G13SR4(G6Z)

730W 115mm
All Purpose
Angle Grinder
G12SR4(G6Z)

AC DIE GRINDERS & POLISHERS



760W 6mm
Variable Speed Die Grinder
GP3V(G1Z)

1250W 180mm
Sander Polisher
SP18VA(G1Z)

AC HEAT GUNS



2000W 650°
Variable Temp
Heat Gun
RH650V(H1Z)

2000W 600°
Dual Temp
Heat Gun
RH600T(H1Z)

DRILL PRESS



750W 380mm
Laser Drill Press
B16RM(HWZ)

**BONUS
OFFERS**

**UNLOCK
MORE
WITH
EVERY JOB.**

**SCAN THE
QR CODE NOW**

to check out HIKOKI's
latest redemption deals,
discover new tool releases,
and explore our full range
of industry-leading power
tools built to perform.



MAKE. MOVE. GO

HIKOKI