

HOT METAL

SPRING 2026



TradeZone
New Zealand

WWW.TRADEZONE.CO.NZ



RAZORWELD MULTI195MAX 195AMP MIG/TIG/MMA 3 IN 1 MULTI PROCESS WELDER

- 10A Plug
- MIG, TIG, MMA
- 4" LCD Screen
- Power Factor Correction (PFC)
- Job Memory
- IP21 Rating
- Dual Gas Input
- Smart Fan
- Foot Control Ready
- Compliant to AS/NZ 60974-1

Power Supply	240V – 1ph
Duty Cycle @ 40°C MIG	15% @ 195A, 60% @ 98A
Current Range MIG	25 – 195A
Duty Cycle @ 40°C TIG	30% @ 195A, 60% @ 138A
Current Range TIG	5-195A
Duty Cycle @ 40°C MMA	15% @ 195A, 60% @ 98A
Current Range MMA	5-195A
Min Generator Power	8.5kVa
Dimensions	470x190x350mm
Weight	11.8kg

C/w XA M22 MIG Torch x 3m 250A, 4m XA17 TIG Flex Head Torch, Arc Set x 4m, Argon Regulator



3 YEAR
MACHINE
WARRANTY



\$1,656.00
Including GST
\$1,440.00 excluding GST
XA-MIG195RZMTS-K

195MAX
3 IN ONE
SYNERGIC

RAZORWELD MULTI230AC/DC 230AMP AC/DC MIG/MMA 4 IN 1 MULTI PROCESS WELDER

- True 4 IN 1 Multiprocess
- MIG, AC/DC TIG, MMA
- 5" LCD Screen
- Power Factor Correction (PFC)
- 100+ Synergic Programs
- Job Memory
- Dual Gas Input
- Geared Wire Drive
- Smart Fan
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V – 1ph	Current Range MMA	10 – 200A
Duty Cycle @ 40°C	25% @ 230A	Dimensions	660x210x330mm
Duty Cycle @ 25°C	60% @ 230A	Weight	20kg
Current Range MIG	25 – 230A		
Current Range TIG	10 – 200A		

C/w XA M22 MIG Torch x 3m 250A, ARC 4m T3FX TIG Torch + Spares, Arc Set x 4m, Argon Regulator

3 YEAR
MACHINE
WARRANTY

\$3,437.50
Including GST
\$2,989.13 excluding GST
XA-MIG230RZMTS-K



230AC/DC
4 IN ONE

XA XCEL-ARC EVOLVE200PULSE 200AMP PULSE MIG/TIG/MMA

- 5" LCD Touch Screen
- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless, 5kg Spool Capacity
- Spoolgun & Push-Pull Ready
- DC-TIG with HF Start & Gas Solenoid
- TIG Pulse, Slope & Gas Timer Controls
- MMA with Anti-Stick, Arc Force & Power Limit
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph	Current Range MMA	20 – 180A
Duty Cycle @ 40°C	15% @ 200A	Rated Power	11 KVA
Duty Cycle @ 25°C	40% @ 200A	Dimensions	605x230x400mm
Current Range MIG	40 – 200A	Weight	17kg
Current Range TIG	5 - 200A		

C/w 3m DM26 Suregrip™ Mig Torch with Remote Controls, Arc Set x 4m, Argon Regulator.

3 YEAR
MACHINE
WARRANTY

\$4,217.00
Including GST
\$3,666.96 excluding GST
XA-MIG200EP-K



EVOLVE
200 PULSE
NEXT GENERATION PULSE MIG

XA
XCEL-ARC

EVOLVE300PULSE 300AMP PULSE MIG/TIG/MMA

Upgrade your workshop with the cutting-edge EVOLVE 300 PULSE, packed with innovative technologies designed to futureproof your setup. Featuring both single and double pulse MIG programs, this versatile machine offers a full range of optional modular accessories are available for purchase as add-ons with options like the AC/DC TIG module. It also comes with a sturdy trolley with drawer for easy mobility.

- 5" LCD Touch Screen
- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless
- 5kg and 15kg Spool Capacity
- Spoolgun & Push-Pull Ready
- MMA with Anti-Stick
- Arc Force & Power Limit
- Compliant to AS/NZ 60974-1

Power Supply	240V 1Ph/ 415V 3Ph
Duty Cycle @ 40°C	240V Single-Phase 15% @ 250A, 60% @ 125A, 100% @ 97A 415V Three-Phase 60% @ 300A, 100% @ 232A
Current Range MIG	20A-250A (240V Single-Phase) 20A-300A (415V Three-Phase)
Current Range MMA	20A-200A (240V Single-Phase) 20A-300A (415V Three-Phase)
Dimensions	810x332x975mm

C/w 3m M4 350A MIG Torch with Remote Controls, Arc Set x 4m, Argon Regulator.

EVOLVE
300 PULSE



5 YEAR
MACHINE
WARRANTY

\$7,993.65
Including GST
\$6,951.00 excluding GST
XA-MIG300EVP-K

XA
XCEL-ARC

EVOLVE400PULSE 400AMP PULSE MIG/TIG/MMA

Packed full of revolutionary technologies, futureproof your workshop with our all-new EVOLVE 400 PULSE.

- Complete with single and double pulse MIG programs
- Comes packaged with a water cooler and trolley
- A full range of optional modular accessories are available for purchase as add-ons with options like the AC/DC TIG module.
- 5" LCD Touch Screen
- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless
- 5kg and 15kg Spool Capacity
- Spoolgun & Push-Pull Ready
- MMA with Anti-Stick
- Arc Force & Power Limit
- Compliant to AS/NZ 60974-1

Power Supply	240V 1Ph/ 415V 3Ph
Duty Cycle @ 40°C	240V Single-Phase 20% @ 250A, 60% @ 144A, 100% @ 112A 415V Three-Phase 60% @ 400A, 100% @ 310A
Current Range MIG	20A-250A (240V Single-Phase) 20A-400A (415V Three-Phase)
Current Range MMA	20A-225A (240V Single-Phase) 20A-400A (415V Three-Phase)
Dimensions	830x332x975mm

C/w 3m M55W 580A MIG Torch with Remote Controls, Arc Set x 4m, Argon Regulator.

EVOLVE
400 PULSE



5 YEAR
MACHINE
WARRANTY

\$10,839.00
Including GST
\$9,425.22 excluding GST
XA-MIG400EVP-K

EVOLVE PULSE MIG

NEXT GENERATION PULSE MIG

MIG • TIG • MMA

THE FUTURE IS HERE

The EVOLVE is an ultra-powerful, full-digital welding machine, designed for heavy industrial applications. Equipped with advanced ARM Cortex microprocessors, Silicon Carbide IGBTs, and cloud connectivity, it delivers unmatched control, efficiency, and welding performance.

MODULAR ADD ONS

Futureproof your purchase with the EVOLVE PULSE MIG, with the option to add additional modules as you need them. These optional modules include an AC/DC TIG module and a Plasma Cutting module for all your future needs.



EVOLVE AC/DC MODULE

The AC/DC module lets you add the ability to TIG weld on your MIG machine, as well as AC MIG programs.

- Adds high-frequency AC & DC TIG
- Advanced AC MIG settings and features
- AC MIG gives you the heat input and the cleaning action usually reserved for AC TIG



Protection Class	IP21S	Standard	AS 60974.1
Insulation Class	H	TIG Ignition Type	AC/DC HF
Dinse Connector	35/50	TIG Current Range	5-500A

- **Ultimate TIG Welding** - Weld every kind of metal. With the ability to run on an Alternating Current (AC) you're able to weld aluminium as effortlessly as mild and stainless steels on a Direct Current (DC).
- **Multiple AC Waveforms** - Customise your aluminium welds with Sine, Square, Trapezoidal and Triangle waveforms, or combine two to create a hybrid arc profile.
- **Mixed AC/DC** - Combine the cleaning action of AC with the penetration and arc force of DC in a single weld. Mixed AC and DC delivers faster travel speeds, stronger fusion on thicker sections and a more responsive puddle, especially on cold workpieces.
- **AC MIG** - Get even more control over your aluminium MIG welds. The alternating current (AC) gives you the heat input and the cleaning action usually reserved for AC TIG.
- **AC MIG Welding Speed** - Increase your efficiency with the advanced AC MIG Welding Speed. By setting the rate the wire is deposited during the negative portion of the AC cycle, you can adjust your welding speed while still maintaining your desired arc length.

\$3,990.50

Including GST
\$3,470.00 excluding GST
XA-MOD-AC

XA
XCEL-ARC

EVOLVE500PULSE 500AMP PULSE MIG/TIG/MMA

Packed full of revolutionary technologies, futureproof your workshop with our all-new EVOLVE 500 PULSE.

- Complete with single and double pulse MIG programs.
- Comes packaged with a Separate Wire Feeder unit, 10m Umbilical, Water Cooler and Trolley.
- A full range of optional modular accessories are available for purchase as add-ons with options like the AC/DC TIG module.
- 5" LCD Touch Screen
- Synergic MIG with over 100 programs
- MIG Gas/Gasless
- 5kg and 15kg Spool Capacity
- Spoolgun & Push-Pull Ready
- MMA with Anti-Stick
- Arc Force & Power Limit
- Compliant to AS/NZ 60974-1

5 YEAR
MACHINE
WARRANTY

Power Supply	415V - 3Ph
Ieff (A)	25.0
Imax (A)	34.8
Duty Cycle @ 40°C	60% @ 500A, 100% @ 400A
Current Range MIG	40 - 500A
Current Range MMA	20 - 500A
Protection Class	IP21S
Dimensions	1250x332x975mm



**ADVANCED
ARM CORTX
MICROPROCESSORS**



**SILICONE
CARBIDE
IGBT**



**INVERTER
FREQUENCY
MODULATION**



**FULLY
SYNERGIC**



**FULL DIGITAL
PFC**



**GLICK
FUNCTION**



**100 JOB
MEMORY SLOTS**



**DIGITAL
CONTROL 4 ROLL
WIRE FEEDER**



**OTA
FIRMWARE
UPDATES**



**EVOLVE DIGITAL
SMART TORCHES**



C/w 3m M55W 580A MIG Torch with
Remote Controls, Arc Set x 4m,
Argon Regulator.

\$14,266.00

Including GST
\$12,405.22 excluding GST
XA-MIG500EVP-K

RAZORWELD**mig250****MIG250PFC****250AMP DC MIG/TIG/MMA**

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG & 15Kg Spool Capacity
- Power Factor Correction (PFC)
- Spool Gun Ready
- 4 Geared Wire Drive
- Trigger Controlled DC Lift Arc TIG
- Advanced MMA Features
- Smart Fan
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	60% @ 144A
Current Range MIG	30 - 250A
Current Range TIG	5 - 250A
Current Range MMA	20 - 220A
Weight	25.5Kg
Dimensions (mm)	700x280x511

C/w 4m M22 MIG Torch 250A, Arc Set x 4m, Argon Regulator.

TIG Torch is Optional and Extra



\$2,861.00
Including GST

\$2,487.83 excluding GST
XA-RZMIG250PFC-K

RAZORWELD**mig250W****MIG250WPFC****250AMP DC MIG/TIG/MMA**

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG
- Power Factor Correction (PFC)
- Spool Gun/ Push-Pull Gun Ready
- 4 Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA Features
- Smart Fan
- Foot Control Ready
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 250A, 60% @ 144A
Current Range MIG	30 - 250A
Current Range TIG	5 - 250A
Current Range MMA	20 - 220A
Weight	41.3Kg
Dimensions (mm)	900x480x760

C/w 4m M22 MIG Torch 250A, Arc Set x 4m, Argon Regulator, TIG Torch is Optional and Extra



\$3,073.50
Including GST

\$2,672.61 excluding GST
XA-RZMIG250WPFC-K

RAZORWELD**mig350W****MIG350W****350AMP DC MIG/TIG/MMA**

- Inverter Technology
- HD Backlit Interface
- Smart-Set MIG
- Gas & Gasless MIG
- Job Memory
- Spool Gun/ Push-Pull Gun Ready
- 4 Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA
- Smart Fan
- Generator Compatible
- Foot Control Ready
- Compliant to AS/NZ 60974-1

Power Supply	415V - 3Ph
Supply Plug	32Amp
Duty Cycle @ 40°C	40% @ 350A, 60% @ 285A
Current Range MIG	30 - 350A
Current Range TIG	20 - 350A
Current Range MMA	20 - 350A
Weight	45.1Kg
Driver Rollers	37/24
Dimensions (mm)	977x480x753

C/w 4m XA M4 350A Mig Torch, Arc Set x 4m, Argon Regulator, TIG Torch is Optional and Extra



\$4,240.50
Including GST

\$3,687.39 excluding GST
XA-RZMIG350W-K

RAZORWELD mig350SWF**MIG350 SWF****350AMP DC MIG/TIG/MMA**

This heavy-duty workshop unit guarantees premium welds and unmatched performance, even in the most challenging conditions.

- A separate wire feeder gives extra manoeuvrability with 10m interconnecting cable.
- Advanced inverter technology with ARM and DSP digital microprocessor control.
- Clear Vision - High-contrast HD backlit screen stays crystal clear from virtually any angle.
- 4 geared wire drive system for the smoothest wire feeding experience.
- Synergic MIG Programs
- Push/Pull & Spool Gun ready
- 4 Geared Wire Drive
- Large Wire Spool Capacity
- Approved to AS/NZ 60974-1

Primary Input Voltage	415V Three-Phase
Supply Plug	32 AMP
Open Circuit Voltage	OCV (V)75
Protection Class	IP23S
Insulation Class	H
Minimum Generator	20(kVA)
Standard	AS 60974.1
MIG Duty Cycle @ 40°C	50% @ 350A, 60% @ 319A, 100% @ 247A
TIG Duty Cycle @ 40°C	50% @ 350A, 60% @ 319A, 100% @ 247A
MMA Duty Cycle @ 40°C	50% @ 350A, 60% @ 319A, 100% @ 247A
Driver Rollers	37/24

C/w 4m XA M4 350A Mig Torch, Arc Set x 4m, Argon Regulator

TIG Torch is Optional and Extra



\$7,273.75
Including GST

\$6,325.00 excluding GST
XA-RZMIG350SWF-K

RAZORWELD mig500SWF**MIG500 SWF****500AMP DC MIG/TIG/MMA INDUSTRIAL WORKHORSE****THE BEAST!**

This heavy-duty workshop unit guarantees premium welds and unmatched performance, even in the most challenging conditions.

- A separate wire feeder gives extra manoeuvrability with 10m interconnecting cable.
- Advanced inverter technology with ARM and DSP digital microprocessor control.
- Clear Vision - High-contrast HD backlit screen stays crystal clear from virtually any angle.
- 4 geared wire drive system for the smoothest wire feeding experience
- Heavy Duty Industrial 3-Phase
- Arc Air Gouging Function
- Integrated Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- MIG Inductance Control
- MIG Burn Back Control
- MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply	415V - 3Ph
Supply Plug	32Amp
Duty Cycle @ 40°C	40% @ 500A, 60% @ 408A
Current Range MIG	50 - 500A
Current Range TIG-MMA	20 - 350A
Rated Power	24.7 KVA
Driver Rollers	37/24

C/w 4m XA M4 350A Mig Torch, Arc Set x 4m, Argon Regulator

TIG Torch is Optional and Extra



\$8,193.75
Including GST

\$7,125.00 excluding GST
XA-RZMIG500SWF-K

RAZORWELD**ARC140****ARC140****140AMP DC MMA/TIG**

- MMA (stick electrode)
 - VRD
 - Hot Start
 - Arc Force
- DC-TIG - Lift Arc Ignition
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 140A
@ 25°C	40% @ 140A
Current Range MMA	20 - 140A
Current Range TIG	10 - 140A
OCV (VRD Off)	78V
Weight	5.5kg

C/w 4m Arc Set
(incl. Twist Type Electrode Holder)

TIG Torch is Optional and Extra



10 AMP



\$719.00
Including GST
\$625.22 excluding GST
XA-RZARC140-K



CHIPPING HAMMER - HEAVY DUTY

ULTIMATE COMFORT AND DURABILITY

Experience ultimate comfort and durability with this heavy-duty tool. Perfect for demanding tasks, it combines innovative design with exceptional performance.


**ENHANCED
SHOCK
ABSORPTION**

**HEAVY
DUTY**

**BOOSTED
DURABILITY**

\$37.50
Including GST
\$32.61 excluding GST
CH-HD

NEW!

**MIG SPOOL GUNS**

IDEAL FOR DISTANCE & SOFT WIRE WELDING

SUREGRIP SP15 150 AMP

A versatile spool gun ideal for Panel Beating applications using 0.6mm wire, silicon bronze 0.9mm wire. Capable to weld aluminium up to 4mm thick using 0.9mm Aluminium wire.

- Air Cooled 150 Amps
- 50% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System



SUREGRIP SP15
150 AMP

\$785.00
Including GST
\$682.61 excluding GST
XASP15-24-P1-60ER

SUREGRIP SP24 200 / SP36 270 AMP

Industrial series spool gun ideal for distance welding using most wires. Ideal for Aluminium welding applications.

- Air Cooled 200 & 270 Amps
- 60% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System
- Speed Control at Torch
(machine capability dependent)



SUREGRIP SP24
200 AMP

SUREGRIP SP36
270 AMP

\$925.00
Including GST
\$804.35 excluding GST
XASP24-24-P1-60ER

\$980.00
Including GST
\$852.17 excluding GST
XASP36-24-P1-60ER

RAZORWELD**ARC160****ARC160PFC****160AMP DC MMA/TIG**

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG - Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 160A
@ 25°C	35% @ 160A
Current Range MMA	20 - 160A
Current Range TIG	10 - 160A
OCV (VRD Off)	78V
Rated Power	5.0 KVA
Weight	7.2kg

C/w 4m Arc Set
(incl. Twist Type Electrode Holder)

TIG Torch is Optional and Extra



10 AMP



\$825.50
Including GST
\$717.82 excluding GST
XA-RZARC160PFC-K

RAZORWELD**ARC180****ARC180****180AMP DC MMA/TIG**

- Clear Vision Technology
- MMA (stick electrode)
 - VRD
 - Hot Start, Arc Force
 - Anti Stick
- DC-TIG - Lift Arc Ignition
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 180A
@ 25°C	40% @ 180A
Current Range MMA	20 - 180A
Current Range TIG	10 - 180A
OCV (VRD Off)	78V
Dimensions (mm)	370x125x255
Weight	5.8kg

C/w 4m Arc Set (incl. Twist Type Electrode Holder)

TIG Torch is Optional and Extra



\$785.00
Including GST
\$682.61 excluding GST
XA-RZARC180-K

RAZORWELD**ARC200****ARC200PFC****200AMP DC MMA/TIG**

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG - Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	25% @ 200A
@ 25°C	40% @ 200A
Current Range MMA	20 - 200A
Current Range TIG	10 - 200A
OCV (VRD Off)	78V
Rated Power	6.8 KVA
Weight	7.6kg

C/w 4m Arc Set
(incl. Twist Type Electrode Holder)

TIG Torch is Optional and Extra



\$989.00
Including GST
\$860.00 excluding GST
XA-RZARC200PFC-K

RAZORWELD TIG220PFC

TIG220DCPFC 220AMP DC TIG/MMA CLEAR VISION TECHNOLOGY

- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- Arc Force Control
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 220A
@ 25°C	40% @ 220A
Current Range MMA	20 - 160A
Current Range TIG	5 - 220A
OCV (VRD Off)	68V
Rated Output	5A/10.2V - 220A/18.8V
Weight	8.9kg

C/w ARC T2FX x 8m Flexi TIG Torch,
Arc Set x 4m, Argon Regulator.



\$2,124.50
Including GST
\$1,847.39 excluding GST
XA-RZTIG220PFC-T2

RAZORWELD TIG200PFC

TIG200AC/DCPFC 200AMP AC/DC TIG/MMA CLEAR VISION TECHNOLOGY

- AC Square Wave
- AC Balance & HZ Control
- User Friendly Digital Interface
- Full Digital Pulse Functionality
- Full Weld Control Functionality
- Remote Amperage Capable
- Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 200A
@ 25°C	60% @ 115A
Current Range MMA	20 - 160A
Current Range TIG	5 - 200A
No Load Voltage	65V
Rated Output	5A/20.8V - 200A/18V
Weight	11.7kg

C/w ARC T3FX x 4m Flexi TIG Torch,
Arc Set x 4m, Argon Regulator.



\$3,210.00
Including GST
\$2,791.30 excluding GST
XA-RZTIG200ACDCPFC-T3

TIG200RZAC/DC 200AMP AC/DC TIG/MMA

- HF Arc Start
- 2/4T Trigger Function
- AC Balance Control
- AC Frequency Control
- Pulse Control Function
- Pre & Post Gas Control
- Down Slope Control
- Remote Amperage Capable
- Electrode Hot Start & Arc Force
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	25% @ 200A TIG
	30% @ 160A MMA
Current Range TIG	10 - 200A
Current Range MMA	10 - 160A
Rated Power	6.9 kVA
I _{eff}	15 Amps
Dimensions (mm)	566x224x405
Weight	15kg

C/w XA26FX x 4m Flexi TIG Torch & Spares,
Arc Set x 4m, Argon Regulator.



\$2,736.00
Including GST

\$2,379.13 excluding GST
XA-TIG200RZ ACDC-K

RAZORWELD TIG230ACDC

TIG230AC/DC 230AMP DC TIG/MMA

- Silicon Carbide Technology
- 5" Colour LCD Touchscreen
- Power Factor Correction (PFC)
- Foot Control Ready
- Speed Start and TackPlus
- Steady Arc
- TIG Smart-Set
- Mixed AC/DC
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 230A
	60% @ 115A
Current Range TIG	2 - 230A
Current Range MMA	10 - 200A
Weight	20.6Kg
Dimensions (mm)	680x210x395



EXTRA CONTROL WITH ADVANCED TIG PARAMETERS

C/w ARC T3FX x 4m Flexi TIG Torch,
Arc Set x 4m, Argon Regulator.

\$5,212.00
Including GST
\$4,532.17 excluding GST
XA-TIG230RZACDC-K

RAZORWELD TIG320ACDC

TIG320AC/DC TIG/MMA INVERTER WELDER WATER COOLED PACKAGE INDUSTRIAL 3-PHASE



- AC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
 - Square Wave Form
 - Trapezoidal Wave Form
 - Sine Wave Form
 - AC Frequency Control
 - AC Balance Control
- DC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
- MIX ARC TIG (AC-DC)
 - HF Arc Ignition
 - Lift Arc Ignition
 - AC Wave Hz Control
 - AC-DC Mix Cycle % Control
 - AC-DC Mix Pulse Hz Control
- Digital Weld Sequence Control
 - Pre & Post Gas Control
 - Start & Final Amp Control
 - Up & Down Slope Control
 - 2T,2S/4T,4S Trigger Select
 - Job Memory Storage
 - Store & Select 50 Programs
- Digital Pulse Control
 - Peak & Base Amp Select
 - Pulse Frequency Control
 - Pulse Width Control
- MMA (Stick Electrode)
 - AC & DC Output
 - Ignition Amp Control
 - Ignition Time Control
 - Arc Force Control

**FURTHER
REDUCED
TO CLEAR**



Power Supply	415V - 3 Phase
Duty Cycle @ 40°C	30% @ 320A TIG
	30% @ 270A MMA
Current Range TIG	10 - 320A
Current Range MMA	10 - 270A
Rated Input Power	10 kVA
Certification Approval	AS/NZS60974-1



\$6,999.00
Including GST
\$6,086.09 excluding GST
XA-TIG320RZ ACDC-K

COMPLETE PACKAGE DEAL
Comprises RAZORWELD TIG320ACDC Power Source, Water Cooler, Machine Trolley, ARC T4W Water Cooled TIG Torch x 8m with Starter Kit, Earth Lead x 4m, Arc Lead x 4m, Argon Regulator.

RAZORCUT

CUT45CNC

45AMP PLASMA CUTTER CLEAR VISION TECHNOLOGY

- 16mm Clean Cut on Steel
- 25mm Sever Cut on Steel
- CNC Connectivity
- PFC - Power Factor Correction
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	25% @ 45A
@ 25°C	60% @ 30A
Rated Input Power	5.3KVA
Air Flow Draw	6.7cfm
Air Pressure	75psi
Weight	10Kg
Dimensions (mm)	546x166x341

C/w 6m SC80 Suregrip™ Plasma Torch,
Earth Lead.



\$2,246.50
Including GST

\$1,953.48 excluding GST
XA-RZCUT45CNC-K

CUT45CNC



AIR COMPRESSOR

The RAZOR CUT 45 Air Compressor is built to perfectly complement the RAZOR CUT 45 CNC.

CUT45 AIR COMPRESSOR

NEW!

- Sleek and compact, ideal for when space is limited
- Ultimate portability with the small and lightweight build



Rated Input Current	3.7A
Rated Air Pressure	0.25Mpa
Rotation Speed	2800 @ 0.3MPa
Rated Input Power	780
Maximum Pressure	0.4Mpa
Protection Class	IP23S
Insulation Class	H
Weight	17.15Kg
Dimensions (LxWxH)	460 x 175 x 240mm



\$506.00
Including GST

\$440.00 excluding GST
XA-RZAC45

RAZORCUT

CUT80

80AMP PLASMA CUTTER

- 30mm Clean Cut on Steel
- 35mm Sever Cut on Steel
- CNC Connect Ready
- Pilot Arc Low
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	40% @ 80A
@ 25°C	100% @ 51A
Air Flow Draw	7.5cfm
Air Pressure	75psi
Weight	22Kg
Dimensions (mm)	626x230x416

C/w 6m SC120 Suregrip™ Plasma Torch, Earth Lead.



\$2,836.67
Including GST

\$2,466.67 excluding GST
XA-RZCUT80-K

CUT80



AIR COMPRESSOR

Our new RAZOR CUT 80 Air Compressor is designed to perfectly fit the New RAZOR CUT 80

CUT80 AIR COMPRESSOR

NEW!

- Sleek and compact, ideal for when space is limited
- Ultimate portability with the small and lightweight build

Rated Input Power	1500 ±4%
Maximum Pressure	0.7Mpa
Rated Air Pressure	0.4Mpa
Protection Class	IP20
Weight	20Kg
Dimensions (LxWxH)	560 x 220 x 290mm



\$621.00
Including GST

\$540.00 excluding GST
XA-RZAC80



RAZORCUT

CUT120

120AMP PLASMA CUTTER

MADE FOR THE PROFESSIONAL
NEEDING MAXIMUM POWER
FROM A PORTABLE MACHINE

- 120 Amp @ 35% Duty Cycle - 415V
- 45mm Clean Cut on Steel
- 60mm Sever Cut on Steel
- Digital Screen
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	60% @ 120A
Current Range	20-120A
No Load Voltage	420V
Air Flow Draw	7.0cfm
Air Pressure	75psi
Weight	24Kg
Dimensions (mm)	560x220x415

C/w 6m SC120 Suregrip™ Plasma Torch,
Earth Lead and Spares.



**DIGITAL LCD
SCREEN**



\$5,684.00
Including GST

\$4,942.61 excluding GST
XA-CUT120RZ-K

CUT120RZ

RAZORWELD

MIG220

220AMP DC MIG/TIG/MMA CLEAR VISION TECHNOLOGY

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG
- Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA Features
- Optional Remote Control
- Smart Fan
- Spool Gun Ready
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 220A
	60% @ 110A
Current Range MIG	30 - 220A
Current Range TIG	5 - 220A
Current Range MMA	20 - 180A
Weight	15.1Kg
Dimensions (mm)	560x220x400

C/w 3m M22 MIG Torch 250A, Arc Set x 4m,
Argon Regulator. TIG Torch is Optional and Extra



\$1,880.00
Including GST

\$1,634.78 excluding GST
XA-RZMIG220-K

MIG220RZ



WELDING FUME EXTRACTOR 230V SINGLE PHASE

Portable fume extraction system with moveable and flexible arm. Capable of filtering an area of up to 8 cubic metres. Provides easy & effective protection against harmful emissions of welding fumes and grinding dust. Internal collection tray for removal of particles and fitted with long-life filter element.

WARNING! WORKSAFE NEW ZEALAND

Prolonged exposure to welding fumes is a serious hazard to workers respiratory health.

Welding and hot cutting produce metal and fluxing fumes made up of toxic gases and very fine particles. Inhaling welding fumes can cause ill health.

- Acute bronchitis
- Airway irritation
- Occupational asthma
- Metal fume fever
- Pneumonitis
- COPD - Chronic obstructive pulmonary disease
- Cancers
- Pneumoconiosis

Download the **WORKSAFE** Fact Sheet



Technical Data

Air Volume	2000 ± 100m³/h
Air Suction Arm	1000m³/h
Motor Power	0.75kw
Working Voltage	240V/50Hz 1 Phase
Filtering Area	8.0m³
Maximum Pressure	1900Pa
Compressed Air	0.5-0.6MPa
Filtration Efficiency	>99.9%
Noise Level	<74 ± 5 dB(A)
Dimensions	510x610x999mm
Weight	98 ± 5Kg
Warranty	2 years



\$4,599.00
Including GST

\$3,999.13 excluding GST
KSJ-0.7S



WELDING RESPIRATOR AS/NZS P3 PROTECTION

**WITH EXTERNAL
GRIND BUTTON**



- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels
- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year - Blower Unit
- Warranty 2 years - Welding Helmet

XA-5122(D)



\$1,495.00
Including GST

\$1,300.00 excluding GST
XA-PAPR-P3

RAZOR SHIELD DIGITAL WELDING MASK



Auto-Darkening Goggles - Intergal LED Headlamp
MIG • MMA • TIG • Plasma • Gas

- External Digital Control Panel
- Low Profile Design

Technical Data

Reaction Time	0.08ms
Arc Sensors	2
Classification	1/1/1/2
Dark State Shades	5-9 / 9-13
Time from Dark to Light	0.1-0.9s
Sensitivity Setting	Adjustable
Delay Control	Adjustable
Power Supply	Battery, Solar Cells
Min TIG Amperage	5 Amps
Compliant Standard	AS/NZS 1338.1:2012



\$239.00
Including GST

\$207.83 excluding GST
XA-SHIELD

Kit Contents: RazorShield Goggles, Face Mask, Hood, LED Lamp, Head Band, Elastic Band, Spare Cover Lens



TWO TIER LARGE UNIVERSAL MACHINE TROLLEY

NEW!

Heavy-duty two-tier trolley with wheels, handle, hooks, shelf, and cylinder chains for safe, easy equipment transport.

- Heavy-duty steel build
- Two-tier design
- Swivel casters
- Side hooks & storage shelf
- Cylinder chains included
- Top Tray 400 x 700mm
- Overall Size: 495 x 450 x 950mm



\$300.00
Including GST

\$260.87 excluding GST
XA-TRTT



MIG185MAX

VIPER MIG185 MAX 185 Amp Pulse MIG/TIG/MMA



- Single Pulse MIG
- MIG Gas/Gasless
- 4.3" LCD Interface
- Spool Gun Ready
- Burn Back Control
- DC HF TIG / DC Lift Arc TIG
- Hot Start Electrode

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	10% @ 185A
@ 25°C	60% @ 77A

Amp Range MIG	30 - 185A
Amp Range TIG	20 - 185A
Amp Range MMA	20 - 180A
Ieff	10.0A
Imax	31.0A
Dimensions	523x214x388mm
Weight	13.5Kg
Certification Approval	AS/NZ 60974-1



BRAND NEW MODEL

C/w 3m M22 Mig Torch 250A, Arc Set, Argon Regulator
Tig Torch is Optional and Extra

\$1,506.50
Including GST

\$1,310.00 excluding GST
XA-MIG185VMAX-K

VIPER SYNERGIC MIG135

135AMP MIG/TIG/MMA WELDER
SINGLE KNOB MIG CONTROL

- Multi-process MIG, TIG, MMA (Stick)
- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- DC Lift Arc TIG
- Light Weight 5.2kg
- Certified & Approved to AS/NZS 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 135A
@ 25°C	40% @ 135A
Efficiency	8.4A
Current Range MIG	40 - 135A
Current Range TIG	20 - 120A
Current Range MMA	20 - 120A
Rated Power	8.0 kVA



\$632.50
Including GST

\$550.00 excluding GST
XA-MIG135V-K

Supplied with Fixed Mig Torch, Earth Lead, Drive Roll Set,
1kg Spool Gasless Wire.

VIPER SYNERGIC MIG165

165AMP DC MIG/TIG/MMA

- MIG Gas/Gasless Capability
- Synergic & Manual MIG
- MIG Inductance Control
- 2T/4T Trigger Control
- DC TIG - Lift Arc
- 5kg Spool Capacity
- Euro Torch Connection
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	10% @ 165A MIG
Duty Cycle @ 25°C	25% @ 165A MIG
Current Range MIG	30 - 165A
Current Range MMA	20 - 140A
Current Range TIG	20 - 160A
Dimensions (mm)	500x210x385
Weight	10.0kg



\$935.50
Including GST

\$813.48 excluding GST
XA-MIG165V-K

C/w M15 Series Mig Torch, Arc Set x 3m,
Argon Regulator.

TIG Torch is Optional and Extra

VIPER MIG185

185AMP DC MIG/TIG/MMA

- Modern IGBT Inverter Technology
- MIG Gas/Gasless Capability
- Wire Inch / Burn Back Control
- Welds Excellent with CO₂ Gas
- 5kg Spool Capacity
- Euro Torch Connection
- MMA Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	10% @ 180A
@ 25°C	25% @ 180A
Current Range MIG	30 - 180A
Current Range MMA	10 - 160A
Rated Power	7.1 KVA
Efficiency	9.8 Amps
Dimensions (mm)	553x214x388
Weight	12.0kg



\$1,321.50
Including GST

\$1,149.13 excluding GST
XA-MIG185V-K

C/w M15 Series Mig Torch, Arc Set x 3m,
Argon Regulator

TIG Torch is Optional and Extra

VIPER CUT30MKII

30AMP PLASMA CUTTER
LONG LIFE CONSUMABLES

- Modern IGBT Technology
- Pilot Arc Non Contact Start
- Contact Start Capable
- Drag Cutting Capable
- High Quality Surecut SC40 Torch
- Pre-set Air with Auto Drain
- Generator Compatible

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 30A
Current Range	20 - 30A
Rated Input	7.5 kVA
Rated Output	92V
Clean Cutting	10mm Steel
Sever Cutting	12mm Steel
Air Flow Draw	170 (L/min)
Air Pressure	70-87 psi
Dimensions (mm)	534x166x343
Weight	8.5kg
Certification Approval	AS/NZ 60974-1



\$1,120.00
Including GST

\$973.91 excluding GST
XA-CUT30VMK2-K

C/w SureCut™ SC40 Plasma Torch x 4m &
Earth Lead x 3m

VIPER TIG200P

200AMP DC PULSE TIG

- Modern IGBT Inverter Technology
- DC TIG HF Arc Ignition
- Pulse Control 0.2~200Hz
- 2T/4T Trigger
- Post Gas Flow Control
- Remote Amp Control from Torch
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	30% @ 200A
@ 25°C	60% @ 200A
Current Range TIG	10 - 200A
Current Range MMA	10 - 160A
Rated Power	8.0 KVA
Dimensions (mm)	420x160x330
Weight	7.5kg



\$1,260.00
Including GST

\$1,095.65 excluding GST
XA-TIG200VP-K

C/w 8m XA17FX Suregrip™ Series TIG Torch with
Remote Amp Control, Arc Set x 4m, Argon Regulator.

VIPER TIG180AC/DC MK II

180AMP AC/DC TIG/MMA
FULL DIGITAL CONTROL FUNCTIONS

- HF Arc Start
- 2/4T Trigger Function
- AC Square Wave
- AC Balance & Frequency Control
- Full Digital Pulse Functionality
- Remote Amperage Capable
- MMA with VRD
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 180A
@ 25°C	40% @ 180A
Current Range TIG	5 - 180A
Current Range MMA	10 - 130A
Rated Power	5.2 KVA
Efficiency	8.9 Amps
Dimensions (mm)	480x166x344
Weight	11.0kg



\$2,329.50
Including GST

\$2,025.65 excluding GST
XA-TIG180VACDCMK2-T2

C/w ARC T2FX x 4m Flexi-Neck TIG Torch,
Arc Set x 4m, Argon Regulator.

VIPER ARC140 140AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- 10 Amp 240V Power Supply
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 140A
@ 25°C	40% @ 140A
Current Range	20 - 140A
Rated Power	6.5 KVA
Efficiency	10 Amps
Dimensions (mm)	295x135x270
Weight	3.8kg



\$341.50
Including GST
\$296.96 excluding GST
XA-VA140

C/w 2.5m Arc Lead Set

VIPER ARC160 160AMP DC MMA WELDER

Don't let the pros have all the fun. The VIPER™ ARC 160 is the perfect STICK welder to get you up and running. Packed with all the features you need for STICK welding.

- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 160A
@ 25°C	40% @ 160A
Current Range	20 - 160A
Rated Power	8.0 KVA
Efficiency	12.5 Amps
Dimensions (mm)	295x135x270
Weight	4.0kg



\$355.00
Including GST
\$308.69 excluding GST
XA-VA160

C/w 2.5m Arc Lead Set



MACHINE TROLLEY INVERTER WELDERS

- Universal design with cylinder tray
- Easy to assemble kitset
- Heavy gauge metal
- Solid rubber rear wheels
- Good quality front wheel castors
- Top Tray 500 x 300mm
- Size: 700 x 300 x 775mm

\$115.00
Including GST
\$100.00 excluding GST
XA-TR165-190



MACHINE TROLLEY SLIDING DRAWERS

- Ideal for small inverter welders
- Solid design with cylinder rack
- Easy to assemble flat pack kitset
- Solid rubber rear wheels
- Quality front wheel castors
- Multi-positional front handle
- Top Tray 520 x 280mm
- Size: 710 x 370 x 845mm

\$249.00
Including GST
\$216.52 excluding GST
XA-TRD



PROBAN WELDING JACKET PROBAN TREATED COTTON

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for use in tough conditions. The lightweight Proban® treated cotton body and sleeves provide great manoeuvrability, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
- Kevlar® Stitching
- Great manoeuvrability
- High Quality, Low Cost
- Kiwi Sizing: M, L, XL, XXL & XXXL

XA-BPJ-M	Medium
XA-BPJ-L	Large
XA-BPJ-XL	X-Large
XA-BPJ-XXL	XX-Large
XA-BPJ-XXXL	XXX-Large

\$83.00
Including GST
\$72.17 excluding GST



BLACK WELDING JACKET PROBAN TREATED COTTON BODY LEATHER SLEEVES

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for extended use under tough conditions. Full leather sleeves provide protection against spatter, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
- Premium Cowhide Leather Sleeves
- Kevlar® Stitching
- Great manoeuvrability
- Kiwi Sizing: M, L, XL, XXL, XXXL

XA-BLPJ-M	Medium
XA-BLPJ-L	Large
XA-BLPJ-XL	X-Large
XA-BLPJ-XXL	XX-Large
XA-BLPJ-XXXL	XXX-Large

\$118.00
Including GST
\$102.61 excluding GST



WELDING APRON COWHIDE LEATHER

Xcel-Arc Black Series Leather Welding Aprons are made from highly durable and pliable split cowhide. Genuine Kevlar® thread is used in all stitching, providing high strength and durability. A unique cross over strap design includes easily adjustable straps. Available in black and one size fits all at 107cm in length.

Extra Long 107cm Length
One Size Fits All

XA-BLA Black Leather Welding Apron 107cm Length

\$97.00
Including GST
\$84.35 excluding GST



HYPERSHIELD C02 SHIELDED FLUX CORED WIRE AWS D1.8M:2009 SEISMIC APPROVED

Suitable for Structural & General Fabrication, Transport Engineering, Agriculture Equipment, Heavy Machinery & Marine Engineering

- AWS A5.20 E71T-1C
- Fast Freezing Slag
- All Position Welding
- Smooth Weld Bead
- Smooth Arc Transfer
- ABS Approvals



Code	Description	+GST	INCL
XFC721215	XA E71T-1C C02 Flux Core Wire 1.2mm x 15kg	\$85.80	\$98.67
XFC721615	XA E71T-1C C02 Flux Core Wire 1.6mm x 15kg	\$85.80	\$98.67

HYPERMIG 5356 ALUMINIUM MIG WIRE

Suitable for all Aluminium Welding & Fabrication, General Engineering, Transport & Marine Engineering.

- Twice Shaved
- X-Ray Quality
- Precision Layer Wound
- Smooth Feeding
- Low Fume Factor
- International Approvals



Code	Description	+GST	INCL
XA530805	XA5356 x 0.8mm Al Mig Wire x 0.45kg Spool	\$23.04	\$26.50
XA530905	XA5356 x 0.9mm Al Mig Wire x 0.45kg Spool	\$23.04	\$26.50
XA531005	XA5356 x 1.0mm Al Mig Wire x 0.45kg Spool	\$23.04	\$26.50
XA531205	XA5356 x 1.2mm Al Mig Wire x 0.45kg Spool	\$23.04	\$26.50
XA530920	XA5356 x 0.9mm Al Mig Wire x 2.0kg Spool	\$76.96	\$88.50
XA531020	XA5356 x 1.0mm Al Mig Wire x 2.0kg Spool	\$76.96	\$88.50
XA531220	XA5356 x 1.2mm Al Mig Wire x 2.0kg Spool	\$73.91	\$85.00
XA531070	XA5356 x 1.0mm Al Mig Wire x 7.0kg Spool	\$226.09	\$260.00
XA531270	XA5356 x 1.2mm Al Mig Wire x 7.0kg Spool	\$218.26	\$251.00

HYPERCORE GASLESS MIG WIRE

XA HYPERCORE™ E71T-GS is for single pass fillet and lap welding on galvanized or carbon steel as thin as 1.2mm without burn-through.

XA HYPERCORE™ E71T-11 all position general purpose gasless wire for single pass & limited multiple pass welds, ideal for mild & galvanised steel up to 12mm material thickness.



Code	Description	+GST	INCL
XA-E71TGS0845	XcelArc HYPERCORE E71T-GS Gasless Wire 0.8mm x 4.5kg Spool	\$93.00	\$106.95
XA-E71T110945	XcelArc HYPERCORE E71T-11 Gasless Wire 0.9mm x 4.5kg Spool	\$89.00	\$102.35
XA-E71T111250	XcelArc HYPERCORE E71T-11 Gasless Wire 1.2mm x 5.0kg	\$77.00	\$88.55
XA-E71T111215	XcelArc HYPERCORE E71T-11 Gasless Wire 1.2mm x 15.0kg	\$300.00	\$345.00

HYPERMIG STAINLESS MIG WIRE

Xcel-Arc 316LSi Stainless Steel MIG wire is for the MIG Welding of 316 and 316L Type Stainless Steels and principally for welding molybdenum-bearing austenitic materials containing maximum 0.03% carbon. The 0.65-1.20% silicon content improves wetting behaviour in the gas shielded welding process.



Code	Description	+GST	INCL
XA316L0650	XcelArc 316LSi x 0.6mm Mig Wire x 5kg	\$221.74	\$255.00
XA316L0850	XcelArc 316LSi x 0.8mm Mig Wire x 5kg	\$215.65	\$248.00
XA316L0950	XcelArc 316LSi x 0.9mm Mig Wire x 5kg	\$215.65	\$248.00
XA316L08125	XcelArc 316LSi x 0.8mm Mig Wire x 12.5kg	\$535.65	\$616.00
XA316L09125	XcelArc 316LSi x 0.9mm Mig Wire x 12.5kg	\$533.91	\$614.00
XA316L10125	XcelArc 316LSi x 1.0mm Mig Wire x 12.5kg	\$531.30	\$611.00
XA316L12125	XcelArc 316LSi x 1.2mm Mig Wire x 12.5kg	\$467.83	\$538.00

magmaweld ESR11- GENERAL PURPOSE (G.P) ELECTRODE

For structural steelwork, workshop & general maintenance welding. All positional welding with good gap-bridging, smooth arc, easy re-striking properties. Welds are smooth, slightly concave and blend into the base metal without undercutting. Suitable for welding galvanized steel, primer painted and slightly rusted components.

AWS/ASME SFA 5.1 E6013

Packaged in Convenient 2.5kg & 5kg Recyclable Plastic Canister



Code	Description	+GST	INCL
ESR1125-25P	ESR11 Electrode 2.5mm 2.5kg Plastic Cannister	\$36.03	\$41.43
ESR1125-50P	ESR11 Electrode 2.5mm 5.0kg Plastic Cannister	\$59.26	\$68.15
ESR1132-25P	ESR11 Electrode 3.2mm 2.5kg Plastic Cannister	\$34.80	\$40.02
ESR1132-50P	ESR11 Electrode 3.2mm 5.0kg Plastic Cannister	\$64.02	\$73.62



HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

HEAVY DUTY RUBBER SHEATHED CABLE

- Prevents Damaging Voltage Drop
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-REL15A-10M	Xcel-Arc Rubber 10m Extension Lead	\$107.78	\$123.95
XA-REL15A-15M	Xcel-Arc Rubber 15m Extension Lead	\$134.74	\$154.95
XA-REL15A-20M	Xcel-Arc Rubber 20m Extension Lead	\$159.13	\$183.00

BRAIDED FOR MAXIMUM HEAVY DUTY ROBUST AND IDEAL FOR CONSTRUCTION SITES

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- Crush and Cut Resistant
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-BEL15A-10M	Xcel-Arc Braided 10m Extension Lead	\$115.65	\$133.00
XA-BEL15A-15M	Xcel-Arc Braided 15m Extension Lead	\$154.78	\$178.00



3PHASE ROBUST EXTENSION LEADS VERSATILE LENGTH OPTIONS FOR EVERY NEED

Explore Rubber 3Phase Extension Leads in 10m, 20m, and 30m. Equipped with durable 32amp plugs and sockets for demanding settings.

NEW!

Thickness 4x6 mm²



Code	Description	+GST	INCL
XA-REL3PH32A-10M	10m Extension Lead, 32amp Plug & Socket	\$256.52	\$295.00
XA-REL3PH32A-20M	20m Extension Lead, 32amp Plug & Socket	\$424.78	\$488.50


TOXIC
**PROVEN RELIABILITY
BOLD GRAPHICS**

- MIG/MMA/TIG Compatible
- 2 Arc Sensors
- Grind Mode (External)
- Variable Shade 9~13 (External)
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

TOXIC

\$138.00
Including GST
\$120.00 excluding GST

AS6000F
**BEST SELLER
WIDE VIEW 100 x 60MM**

- MIG/MMA/TIG Compatible
- 4 Arc Sensors
- Grind Mode
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

AS6000F

\$199.00
Including GST
\$173.04 excluding GST

CHAOS
**EXTERNAL SHADE ADJUSTMENT
LARGE VIEW AREA 100 x 60MM**

- MIG/MMA/TIG Compatible
- Wide 100 x 60mm Viewing Area
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Comfort Headgear
- Analogue Controls
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/2
- Compliant to AS/NZS 1338.1

CHAOS

\$206.00
Including GST
\$179.13 excluding GST

AS8000D
**EXTERNAL GRIND BUTTON
WITH LARGE VIEWING AREA**

- MIG/MMA/TIG Compatible
- 100 x 83.4mm Viewing Area
- Variable Shade 5~9 / 9~13
- 4 Point Harness
- Comfort Headgear
- 3 Memory States
- Back-up Battery
- 4 Arc Sensors
- External Grind Button
- Classification 1/1/1/1
- Compliant to AS/NZS 1338.1

AS8000D

\$343.00
Including GST
\$298.26 excluding GST

AS9000D
**WITH LARGEST VIEWING AREA
AND EXTERNAL CONTROLS**

- MIG/MMA/TIG Compatible
- 1/1/1/1 Classification
- Larger View Area 102.5x102.5mm
- Auto Shade Select I 3.0 Light State
- 5 Arc Sensors
- External Grind Button
- 5~9 / 9~13 Shade Control
- 4 Point Harness I Back-up Battery
- Standards
AS/NZS 1337.1 B (High Impact)
AS/NZS 1338.1 (Auto-Darkening)

AS9000D

\$457.00
Including GST
\$397.39 excluding GST

“ Want to know more?” Visit www.xcelarc.nz or contact your nearest Xcel-Arc and Razorweld stockist today!


XCEL-ARC

 Special pricing valid until 30th November, 2026

RAZORWELD RAZORCUT
TradeZone
New Zealand

WWW.TRADEZONE.CO.NZ


**100% KIWI OWNED, OPERATED
AND PROUD OF IT!**