

HOT METAL

SUMMER 2023/24

CRYSTAL CLEAR SOLUTIONS

CLARITY IN EXCELLENCE: ELITEVISION™

PG 2

MIG MASTERY UNVEILED

GET SMART: ELEVATE YOUR SKILLS

PG 6-7

BREATHE IN SAFETY

RESPIRATORY PROTECTION

PG 12

BONUS
Via Redemption*

ARE YOU READY?
REDEMPTION DEALS ARE BACK

See inside for details

TradeZone
New Zealand

WWW.TRADEZONE.CO.NZ

XG
XCEL-ARC



TOXIC

PROVEN RELIABILITY
BOLD NEW GRAPHICS

- MIG/MMA/TIG Compatible
- 2 Arc Sensors
- Grind Mode (External)
- Variable Shade 9~13 (External)
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

TOXIC

\$129.00
Including GST
\$112.17 excluding GST



AS6000F

BEST SELLER
WIDE VIEW 100 x 60MM

- MIG/MMA/TIG Compatible
- 4 Arc Sensors
- Grind Mode
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Job Memory Recall x 3
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

AS6000F

\$199.00
Including GST
\$173.04 excluding GST



CHAOS

EXTERNAL SHADE ADJUSTMENT
LARGE VIEW AREA 100 x 63MM

- MIG/MMA/TIG Compatible
- Wide 100 x 60mm Viewing Area
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Comfort Headgear
- Analogue Controls
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/2
- Compliant to AS/NZS 1338.1

CHAOS

\$206.00
Including GST
\$179.13 excluding GST



AS7000D

DIGITAL CONTROL
ULTRA WIDE VIEW 100 x 83MM

- MIG/MMA/TIG Compatible
- Massive 100 x 83mm Viewing Area
- Variable Shade 5~9 / 9~13
- Sensitivity & Delay Control
- Comfort Headgear
- Job Memory Recall x 3
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/1
- Compliant to AS/NZS 1338.1

AS7000D

\$305.00
Including GST
\$265.22 excluding GST



RAZORSHIELD



ELITEVISION
LENS TECHNOLOGY

DIGITAL WELDING MASK

Auto-Darkening Goggles
MIG • MMA • TIG • Plasma • Gas
Intergal LED Headlamp

- External Digital Control Panel
- Weld, Cut & Grind Modes
- Sensitivity & Delay Control
- 2 x Arc Sensors
- External LED Headlamp
- Low Profile Design
- Respirator Half Mask Compatible



Technical Data

Reaction Time	0.08ms
Arc Sensors	2
Classification	1/1/1/2
Dark State Shades	5-9 / 9-13
Time from Dark to Light	0.01-0.9s
Sensitivity Setting	Adjustable
Delay Control	Adjustable
Power Supply	Battery, Solar Cells
Min TIG Amperage	5 Amps
Compliant Standard	AS/NZS 1338.1:2012

Kit Contents: RazorShield Goggles, Face Mask, Hood,
LED Lamp, Head Band, Elastic Band, Spare Cover Lens

\$239.00
Including GST
\$207.83 excluding GST
XA-SHIELD

RAZORWELD



ELITEVISION
LENS TECHNOLOGY

WELDING RESPIRATOR AS/NZS P2 PROTECTION

**NOW WITH EXTERNAL
GRIND BUTTON**

- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels
- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year - Blower Unit
- Warranty 2 years - Welding Helmet



XA-5122(D)



External grind
button



\$1,265.00
Including GST
\$1,100.00 excluding GST
XA-PAPR-B

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD ARC180RZ
XA-ARC180RZ-K

\$65
VALUE

Welding Gloves, Skull Rag & 6013GP Electrode 1kg Pkt

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD TIG200 AC/DC PFC
XA-RZTIG200ACDCPFC-T3

\$294
VALUE

E3 Tungsten 10pcs, Gas Lens Body Starter Kit, Tig Welding Gloves & Welding Jacket

BONUS
Via Redemption*

WHEN YOU PURCHASE:
VIPER MIG185 WELDER
XA-MIG185V-K

\$111
VALUE

MIG Spares Starter Kit & Mig Torch Holder with Magnetic Base

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD TIG220PFC
XA-RZTIG220PFC-T2

\$167
VALUE

E3 Tungsten 10pcs, Gas Lens Body Starter Kit & Tig Welding Gloves

BONUS
Via Redemption*

WHEN YOU PURCHASE:
VIPER MIG165 WELDER
XA-MIG165V-K

\$51
VALUE

Mig Torch Holder with Magnetic Base & Welding Gloves

BONUS
Via Redemption*

WHEN YOU PURCHASE:
VIPER TIG200PDC TIG/MMA WELDER
XA-TIG200VP-K

\$136
VALUE

Welding Jacket, Chalk Holder & Magnetic Position Holders

BONUS
Via Redemption*

ARE YOU READY?
REDEMPTION DEALS ARE BACK

SCAN TO REGISTER YOUR MACHINE ONLINE AND CLAIM YOUR ELIGIBLE REDEMPTION PACKAGE, PLUS RECEIVE AN ADDITIONAL 6 MONTHS WARRANTY.

SCAN HERE

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD MIG350WRZ
XA-MIG350WRZ-K

\$379
VALUE

Welding Helmet & MIG Spares Starter Kit

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD MIG500RZSWF
XA-MIG500RZSWF-K

\$431
VALUE

Welding Jacket & Welding Helmet

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD MIG220 WELDER
XA-RZMIG220-K

\$143
VALUE

MIG Spares Starter Kit & Mig Torch Holder with Magnetic Base & Welding Gloves

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZOR CUT40AIR
XA-CUT40PC-K

\$201
VALUE

Circle Cutting Attachment Kit

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD TIG320 AC/DC WELDER
XA-TIG320RZ ACDC-K

\$486
VALUE

E3 Tungsten 10pcs & Remote Foot Control

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZORWELD MIG250W PFC WELDER
XA-RZMIG250WPFC-K

\$356
VALUE

Welding Helmet & MIG Spares Starter Kit

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZOR CUT45PFC
XA-RZCUT45PFC-K

\$201
VALUE

Circle Cutting Attachment Kit

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZOR CUT80
XA-CUT80RZ-K

\$330
VALUE

Circle Cutting Attachment Kit, Plasma Cutting Tips & Plasma Electrodes

BONUS
Via Redemption*

WHEN YOU PURCHASE:
RAZOR CUT120
XA-CUT120RZ-K

\$389
VALUE

Plasma Air Filter complete with Filter Cartridge, Plasma Cutting Tips & Plasma Electrodes.

BONUS
Via Redemption*

WHEN YOU PURCHASE:
VIPER CUT30MKII
XA-CUT30VMK2-K

\$115
VALUE

TIG / Riggers Gloves, Plasma Cutting Tips & Plasma Electrodes

*VISIT XCELARC.NZ/REDEMPTIONS TO REDEEM AND SEE FULL TERMS AND CONDITIONS

Only available for eligible products purchased from 01/12/2023 - 29/02/2024. Must submit claim online by 14/03/2024.

RAZORCUT**CUT40PC**

CUT40

40AMP PLASMA CUTTER WITH BUILT IN AIR COMPRESSOR


3 YEAR MACHINE WARRANTY

BONUS
See page 3

- PFC - Power Factor Correction
- Inbuilt Compressor Cut Thickness:
 - Clean Cut on Steel 12mm
 - Sever Cut on Steel 15mm
- External Compressor Cut Thickness:
 - Clean Cut on Steel 15mm
 - Sever Cut on Steel 18mm
- SC80 Euro Connect Plasma Torch
- Generator Compatible - 10.0 KVA

Power Supply	230V - 1Ph
Cut Current Range	20 - 40A
Duty Cycle @ 40°C	40% @ 40A
Plasma Arc Start	Pilot Arc
Air Flow Draw	4.5cfm
Air Pressure	75psi
Protection Class	IP23
Dimensions (LxWxH)	510x210x380mm
Weight Power Source	18Kg
Certification Approval	AS/NZ60974-1

C/w 6m SC80 Suregrip™ Plasma Torch, Earth Lead and Spares.

\$2,672.00
Including GST
\$2,323.48 excluding GST
XA-CUT40PC-K

RAZORCUT**CUT45PFC**

CUT45PFC

45AMP PLASMA CUTTER


BRAND NEW MODEL

BONUS
See page 3


5 YEAR MACHINE WARRANTY

- 45 Amp @ 25% Duty Cycle - 240V
- 16mm Clean Cut on Steel
- 25mm Sever Cut on Steel
- PFC - Power Factor Correction
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	25% @ 45A
@ 25°C	60% @ 30A
Rated Input Power	5.3KVA
Air Flow Draw	6.7cfm
Air Pressure	75psi
Weight	10Kg
Dimensions (mm)	546x166x341

C/w 6m SC80 Suregrip™ Plasma Torch, Earth Lead and Spares.

\$1,928.00
Including GST
\$1,676.52 excluding GST
XA-RZCUT45PFC-K

RAZORCUT**CUT80RZ**

CUT80

80AMP PLASMA CUTTER


3 YEAR MACHINE WARRANTY

BONUS
See page 3

- 80 Amp @ 35% Duty Cycle - 415V
- 30mm Clean Cut on Steel
- 35mm Sever Cut on Steel
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	40% @ 80A
@ 25°C	80% @ 80A
Rated Output Volatge	112V
Air Flow Draw	7.5cfm
Air Pressure	80psi
Weight	16Kg
Dimensions (mm)	560x220x415

C/w 6m SC120 Suregrip™ Plasma Torch, Earth Lead and Spares.

\$2,725.00
Including GST
\$2,369.56 excluding GST
XA-CUT80RZ-K

RAZORWELD**ARC160**

ARC160PFC

160AMP DC MMA/TIG


BRAND NEW MODEL


5 YEAR MACHINE WARRANTY

\$774.00
Including GST
\$673.04 excluding GST
XA-RZARC160PFC-K

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG - Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 160A
@ 25°C	35% @ 160A
Current Range MMA	20 - 160A
Current Range TIG	10 - 160A
OCV (VRD Off)	78V
Rated Power	5.0 KVA
Weight	7.2kg

C/w 4m Arc Set
(incl. Twist Type Electrode Holder)

Tig Torch is Optional and Extra

RAZORWELD**ARC180**

ARC180

180AMP DC MMA/TIG


3 YEAR MACHINE WARRANTY

BONUS
See page 3

\$690.00
Including GST
\$600.00 excluding GST
XA-ARC180RZ-K

- 180 Amp - 230V
- Industrial Application
- MMA (stick electrode)
 - Selectable On/Off VRD
 - Hot Start, Arc Force
- DC-TIG - Lift Arc Ignition
- Generator Compatible - 8.2KVA
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	20% @ 180A
@ 25°C	40% @ 180A
Current Range MMA	30 - 180A
Current Range TIG	10 - 180A
OCV (VRD Off)	77V
Rated Power	8.2 KVA
Weight	4.7kg

C/w 4m Arc Set and Heavy-Duty Safe Case
(incl. Twist Type Electrode Holder)

Tig Torch is Optional and Extra

RAZORWELD**ARC200**

ARC200PFC

200AMP DC MMA/TIG


BRAND NEW MODEL


5 YEAR MACHINE WARRANTY

\$927.00
Including GST
\$806.09 excluding GST
XA-RZARC200PFC-K

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG - Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	25% @ 200A
@ 25°C	40% @ 200A
Current Range MMA	20 - 200A
Current Range TIG	10 - 200A
OCV (VRD Off)	78V
Rated Power	6.8 KVA
Weight	7.6kg

C/w 4m Arc Set
(incl. Twist Type Electrode Holder)

Tig Torch is Optional and Extra

TIG220DCPFC
220AMP DC TIG/MMA
CLEAR VISION TECHNOLOGY

BRAND NEW MODEL

- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- Arc Force Control
- Generator Compatible 9.0 kVA
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 220A
	@ 25°C 40% @ 220A
Current Range MMA	20 - 160A
Current Range TIG	5 - 220A
OCV (VRD Off)	68V
Rated Output	5A/10.2V - 220A/18.8V
Weight	8.9kg



\$1,992.00
Including GST
\$1,732.17 excluding GST
XA-RZTIG220PFC-T2



C/w ARC T2FX x 8m Flexi TIG Torch,
Arc Set x 4m, Argon Flowtube Regulator

TIG200AC/DCPFC
200AMP DC TIG/MMA
CLEAR VISION TECHNOLOGY

BRAND NEW MODEL

- AC Square Wave
- AC Balance & HZ Control
- User Friendly Digital Interface
- Full Digital Pulse Functionality
- Full Weld Control Functionality
- Remote Amperage Capable
- Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 200A
	60% @ 115A
Current Range MMA	20 - 160A
Current Range TIG	5 - 200A
No Load Voltage	65V
Rated Output	5A/20.8V - 200A/18V
Weight	11.7kg



\$3,010.00
Including GST
\$2,617.39 excluding GST
XA-RZTIG200ACDCPFC-T3



C/w ARC T3FX x 4m Flexi TIG Torch,
Arc Set x 4m, Argon Flowtube Regulator

TIG200RZAC/DC
200AMP AC/DC TIG/MMA

- HF Arc Start
- 2/4T Trigger Function
- AC Balance Control
- AC Frequency Control
- Pulse Control Function
- Pre & Post Gas Control
- Down Slope Control
- Remote Amperage Capable
- Electrode Hot Start & Arc Force
- Compliant to AS/NZ 60974-1



Power Supply	230V - 1Ph
Duty Cycle @ 40°C	25% @ 200A TIG
	30% @ 160A MMA
Current Range TIG	10 - 200A
Current Range MMA	10 - 160A
Rated Power	6.9 KVA
I _{eff}	15 Amps
Dimensions (mm)	566x224x405
Weight	15kg

\$2,564.99
Including GST
\$2,230.43 excluding GST
XA-TIG200RZ ACDC-K

C/w XA26FX x 4m Flexi TIG Torch & Spares,
Arc Set x 4m, Argon Flowtube Regulator

TIG320AC/DC
TIG/MMA INVERTER WELDER
WATER COOLED PACKAGE
INDUSTRIAL 3-PHASE



- AC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
 - Square Wave Form
 - Trapezoidal Wave Form
 - Sine Wave Form
 - AC Frequency Control
 - AC Balance Control
- DC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
- MIX ARC TIG (AC-DC)
 - HF Arc Ignition
 - Lift Arc Ignition
 - AC Wave Hz Control
 - AC-DC Mix Cycle % Control
 - AC-DC Mix Pulse Hz Control
- Digital Weld Sequence Control
 - Pre & Post Gas Control
 - Start & Final Amp Control
 - Up & Down Slope Control
 - 2T,2S/4T,4S Trigger Select
 - Job Memory Storage
 - Store & Select 50 Programs
- Digital Pulse Control
 - Peak & Base Amp Select
 - Pulse Frequency Control
 - Pulse Width Control
- MMA (Stick Electrode)
 - AC & DC Output
 - Ignition Amp Control
 - Ignition Time Control
 - Arc Force Control



BONUS
See page 3

Power Supply	415V - 3 Phase
Duty Cycle @ 40°C	30% @ 320A TIG
	30% @ 270A MMA
Current Range TIG	10 - 320A
Current Range MMA	10 - 270A
Rated Input Power	10 kVA
Certification Approval	AS/NZS60974-1



\$8,619.00
Including GST
\$7,494.78 excluding GST
XA-TIG320RZ ACDC-K

COMPLETE PACKAGE DEAL
Comprises RAZORWELD TIG320ACDC Power Source, Water Cooler, Machine Trolley, ARC T4W Water Cooled Tig Torch x 8m with Starter Kit Earth Lead x 4m, Arc Lead x 4m, Argon Flowmeter Regulator

MULTIPLE AC WAVE FORMS - MIX ARC WAVE FORM (AC+DC)


AC SQUARE WAVE: Allows the current to switch from electrode + to electrode - very quickly. This produces high voltage as the current switches polarities allowing the arc to restart easily. The arc can be maintained without the use of high-frequency, the fast transition provides for responsive, dynamic & focused arc for better control.




TRIANGLE WAVE: Characterised by a particularly soft and concentrated arc combining the effect of peak amperage while reducing overall heat input. Leads to quick puddle formation and because of lowered heat input reduces weld distortion especially on thin material. This wave form is ideal for very precise welding of thin aluminum plate.



AC SINE WAVE: It is the standard Wave form, characterised by low noise and excellent arc control, it also gives the soft-arc feel of a conventional power source, while using square transitions to eliminate the need for continuous HF.



AC MIX ARC: This function of MIX AC/DC makes it possible to modulate the welding current, alternating a period of TIG AC with a period of TIG DC-. The efficiency of AC TIG welding can be combined with the high penetration of DC TIG welding, obtaining higher welding speeds and establishing the weld puddle quicker on cold workpieces. Ideal for welding heavier gauge material with less current than AC welding.



MULTI230AC/DC
230AMP AC/DC MIG/MMA
4 IN 1 MULTI PROCESS WELDER

4 IN ONE

- True 4 IN 1 Multiprocess
- MIG, AC/DC TIG, MMA
- 5" LCD Screen
- Dual Plug Capable (10A & 15A)
- Power Factor Correction (PFC)
- 100+ Synergic Programs
- Job Memory
- Dual Gas Input
- Geared Wire Drive
- Smart Fan
- Generator Compatible
- Compliant to AS/NZ 60974-1



Power Supply	230V – 1ph
Duty Cycle @ 40°C	10% @ 200A (10A) / 25% @ 230A (15A)
Duty Cycle @ 25°C	40% @ 200A (10A) / 60% @ 230A (15A)
Current Range MIG	25 – 200A (10A) / 25 – 230A (15A)
Current Range TIG	10 – 200A (10A / 15A)
Current Range MMA	10 – 200A (10A / 15A)
Min Generator Power	8.5kVa (10A) / 10kVa (15A)
Dimensions	660x210x330mm
Weight	20kg



C/w 4m XA24 Suregrip™ Mig Torch, ARC 4m T3FX TIG Torch + Spares, Arc Set x 4m, Argon Regulator and 15amp to 10amp converter

\$2,930.00

Including GST
\$2,547.83 excluding GST
XA-MIG230RZMITS-K

MULTI195MAX
195AMP MIG/TIG/MMA
3 IN 1 MULTI PROCESS WELDER

BRAND NEW MODEL

- 10A Plug
- MIG, TIG, MMA
- 4" LCD Screen
- Power Factor Correction (PFC)
- Job Memory
- IP21 Rating
- Dual Gas Input
- Smart Fan
- Foot Control Ready
- Compliant to AS/NZ 60974-1



Power Supply	240V – 1ph
Duty Cycle @ 40°C MIG	15% @ 195A, 60% @ 98A
Current Range MIG	25 – 195A

Duty Cycle @ 40°C TIG	30% @ 195A, 60% @ 138A
Current Range TIG	5-195A

Duty Cycle @ 40°C MMA	15% @ 195A, 60% @ 98A
Current Range MMA	5-195A

Min Generator Power	8.5kVa
Dimensions	470x190x350mm
Weight	20kg



\$1,552.00

Including GST
\$1,350.00 excluding GST
XA-MIG195RZMITS-K



PIPE STAND WITH ROLLER HEAD & V HEAD ATTACHMENT
IDEAL FOR PIPE SUPPORT DURING WELDING, INSTALLATION AND MARKING OUT

- 2500 lb (1135 kg) capacity
- Folds up for easy storage
- Carrying handle for ease of transporting
- Quick-action lock washer



\$298.00
Including GST

\$105.22 excluding GST
XA-PS-K



MIG SPOOL GUNS
IDEAL FOR DISTANCE & SOFT WIRE WELDING

SUREGRIP SP15 150 AMP

A versatile spool gun ideal for Panel Beating applications using 0.6mm wire, silicon bronze 0.9mm wire. Capable to weld aluminium up to 4mm thick using 0.9mm Aluminium wire.

- Air Cooled 150 Amps
- 50% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System



SUREGRIP SP15
150 AMP

\$785.00
Including GST

\$682.61 excluding GST
XASP15-24-P1-60ER

SUREGRIP SP24 200 / SP36 270 AMP

Industrial series spool gun ideal for distance welding using most wires. Ideal for Aluminium welding applications.

- Air Cooled 200 & 270 Amps
- 60% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System
- Speed Control at Torch (machine capability dependent)



SUREGRIP SP24
200 AMP

SUREGRIP SP36
270 AMP

\$925.00
Including GST

\$804.35 excluding GST
XASP24-24-P1-60ER



PIPE STAND V HEAD

Load Capacity	2500 lb / 1135 kg
Weight	3.1 kg
Suits Pipe Diameter	1/2 - 12" (12-300mm)

\$64.00
Including GST

\$55.65 excluding GST
XA-PS-VH



PIPE STAND RUBBER ROLLER HEAD

Load Capacity	1000 lb / 450 kg
Weight	6.7 kg
Suits Pipe Diameter	2 - 24" (50-600mm)

\$92.00
Including GST

\$80.00 excluding GST
XA-PS-RRH



PIPE STAND BALL TRANSFER HEAD

Load Capacity	1000 lb / 450 kg
1pair required per V-head (Steel Ball)	

\$80.00
Including GST

\$69.57 excluding GST
XA-PS-BTH



PIPE STAND BALL TRANSFER HEAD

Load Capacity	1000 lb / 450 kg
1pair required per V-head (Stainless Steel Ball)	

\$121.00
Including GST

\$105.22 excluding GST
XA-PS-BTHSS

MIG220
220AMP DC MIG/TIG/MMA

BRAND NEW MODEL

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG
- Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA Features
- Optional Remote Control
- Smart Fan
- Spool Gun Ready
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 220A, 60% @ 110A
Current Range MIG	30 - 220A
Current Range TIG	5 - 220A
Current Range MMA	20 - 180A
Weight	15.1Kg
Dimensions (mm)	560x220x400

C/w 4m M24 Digital MIG Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

\$1,763.00
Including GST
\$1,533.04 excluding GST
XA-RZMIG220-K

MIG250WPFC
250AMP DC MIG/TIG/MMA

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG
- Power Factor Correction (PFC)
- Spool Gun/ Push-Pull Gun Ready
- 4 Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA Features
- Smart Fan
- Foot Control Ready
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	20% @ 250A, 60% @ 144A
Current Range MIG	30 - 250A
Current Range TIG	5 - 250A
Current Range MMA	20 - 220A
Weight	41.3Kg
Dimensions (mm)	900x480x760

C/w 4m M24 Digital MIG Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

BRAND NEW MODEL

\$2,882.00
Including GST
\$2,506.09 excluding GST
XA-RZMIG250WPFC-K

MIG350WRZ
350AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	40% @ 350A
	@ 25°C 70% @ 350A
Current Range MIG	50 - 350A
Current Range TIG-MMA	20 - 350A
Weight	58Kg
Dimensions (mm)	900x400x785

C/w 4m XA36 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

\$3,395.00
Including GST
\$2,952.17 excluding GST
XA-MIG350WRZ-K

MIG350RZSWF
350AMP DC MIG/TIG/MMA



- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	40% @ 350A
	@ 25°C 70% @ 350A
Current Range MIG	50 - 350A
Current Range MMA	20 - 350A
Rated Power	12.8 KVA

C/w 4m XA36 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$6,485.00
Including GST
\$5,639.13 excluding GST
XA-MIG350RZSWF-K

MIG500RZSWF
500AMP DC MIG/TIG/MMA
INDUSTRIAL WORKHORSE

THE BEAST!



- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	60% @ 500A
	@ 25°C 80% @ 500A
Current Range MIG	50 - 500A
Current Range TIG-MMA	20 - 350A
Rated Power	24.7 KVA

C/w 4m XA38 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

BONUS
See page 3



\$7,130.00
Including GST
\$6,200.00 excluding GST
XA-MIG500RZSWF-K



SYNERGIC MIG120

SINGLE KNOB CONTROL

Makes it easy for those with little or no experience to be able to MIG weld. Choose your wire size turn the heat up or down as required to suit the job.

- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- Small, Compact, Portable
- Light Weight 5.2kg
- Fitted with 10 Amp Domestic Plug
- Generator Compatible 4.5KVA
- Certified & Approved to AS/NZS 60974-1



BONUS!
Spool of Gasless Mig Wire

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	10% @ 120A
@ 25°C	25% @ 120A
Current Range	40 - 120A
Wire Sizes	0.6, 0.8, 0.9mm

Supplied with Fixed Mig Torch, Earth Lead, Drive Roller Set, 1kg Spool Gasless Wire. Regulator is Optional & Extra

\$440.00
Including GST
\$382.61 excluding GST
XA-MIG120V-K



BONUS
See page 3



SYNERGIC MIG165

165AMP DC MIG/TIG/MMA

- MIG Gas/Gasless Capability
- Synergic & Manual MIG
- MIG Inductance Control
- 2T/4T Trigger Control
- DC TIG - Lift Arc
- 5kg Spool Capacity
- Euro Torch Connection
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	10% @ 165A MIG
Duty Cycle @ 25°C	25% @ 165A MIG
Current Range MIG	30 - 165A
Current Range MMA	20 - 140A
Current Range TIG	20 - 160A
Dimensions (mm)	500x210x385
Weight	10kg

C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

\$877.00
Including GST
\$762.61 excluding GST
XA-MIG165V-K

VIPER MIG185

180AMP DC MIG/TIG/MMA



- Modern IGBT Inverter Technology
- MIG Gas/Gasless Capability
- Wire Inch / Burn Back Control
- Welds Excellent with CO₂ Gas
- 5kg Spool Capacity
- Euro Torch Connection
- MMA Electrode Hot Start
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	10% @ 180A
@ 25°C	25% @ 180A
Current Range MIG	30 - 180A
Current Range MMA	10 - 160A
Rated Power	7.1 KVA
I _{eff}	9.8 Amps
Dimensions (mm)	553x214x388
Weight	12.0kg

C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

\$1,239.00
Including GST
\$1,077.39 excluding GST
XA-MIG185V-K

VIPER TIG200P

200AMP DC PULSE TIG



- Modern IGBT Inverter Technology
- DC TIG HF Arc Ignition
- Pulse Control 0.2~200Hz
- 2T/4T Trigger
- Post Gas Flow Control
- Remote Amp Control from Torch
- Compliant to AS/NZ 60974-1



BONUS
See page 3

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	30% @ 200A
@ 25°C	60% @ 200A
Current Range TIG	10 - 200A
Current Range MMA	10 - 160A
Rated Power	8.0 KVA
Dimensions (mm)	420x160x330
Weight	7.5kg

C/w 8m XA17FX Suregrip™ Series Tig Torch with Remote Amp Control, Arc Set x 4m, Argon Flow Regulator

\$1,181.00
Including GST
\$1,026.96 excluding GST
XA-TIG200VP-K

VIPER TIG180AC/DC

180AMP AC/DC TIG/MMA



- HF Arc Start
- 2/4T Trigger Function
- AC Square Wave
- AC Balance & Frequency Control
- Full Digital Pulse Functionality
- Remote Amperage Capable
- MMA with VRD
- Pre & Post Gas Flow Control
- Compliant to AS/NZ 60974-1



Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 180A
@ 25°C	40% @ 180A
Current Range TIG	5 - 180A
Current Range MMA	10 - 130A
Rated Power	8.0 KVA
I _{eff}	10 Amps
Dimensions (mm)	502x218x382
Weight	7.5kg

C/w ARC T2FX x 4m Flexi-Neck TIG Torch, Arc Set x 4m, Argon Flow Regulator



\$2,184.00
Including GST
\$1,899.13 excluding GST
XA-TIG180V ACDC-T2

VIPER CUT30MKII PLASMA CUTTER

30AMP - CLEAN CUT 10MM STEEL

LONG LIFE CONSUMABLES



BRAND NEW MODEL

- Modern IGBT Technology
- Pilot Arc Non Contact Start
- Contact Start Capable
- Drag Cutting Capable
- High Quality Surecut SC40 Torch
- Pre-set Air with Auto Drain
- Generator Compatible 7.5KVA



BONUS
See page 3

Power Supply	240V - 1Ph
Duty Cycle @ 40°C	15% @ 30A
Current Range	20 - 30A
Rated Input	7.5 KVA
Rated Output	92V
Clean Cutting	10mm Steel
Sever Cutting	12mm Steel
Air Flow Draw	170 (L/min)
Air Pressure	70-87 psi
Dimensions (mm)	534x166x343
Weight	8.5kg
Certification Approval	AS/NZ 60974-1

C/w SureCut™ SC40 Plasma Torch x 4m & Earth Lead x 3m



\$1,050.00
Including GST
\$913.04 excluding GST
XA-CUT30VMK2-K



ARC140

VIPER ARC140 140AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- 10 Amp 230V Power Supply
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible 6.5 KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph
 Duty Cycle @ 40°C 15% @ 140A
 @ 25°C 40% @ 140A
 Current Range 20 - 140A
 Rated Power 6.5 KVA
 I_{eff} 10 Amps
 Dimensions (mm) 295x135x270
 Weight 3.8kg

C/w 2.5m Arc Lead Set



\$320.00
Including GST
 \$278.26 excluding GST
 XA-VA140



ARC160

VIPER ARC160 160AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible 8.0 KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph
 Duty Cycle @ 40°C 15% @ 160A
 @ 25°C 40% @ 160A
 Current Range 20 - 160A
 Rated Power 8.0 KVA
 I_{eff} 12.5 Amps
 Dimensions (mm) 295x135x270
 Weight 4.0kg

C/w 2.5m Arc Lead Set



\$332.99
Including GST
 \$289.56 excluding GST
 XA-VA160



MACHINE TROLLEY INVERTER WELDERS

- Universal design with cylinder tray
- Easy to assemble kitset
- Heavy gauge metal
- Solid rubber rear wheels
- Good quality front wheel castors
- Top Tray 500 x 300mm
- Size: 700 x 300 x 775mm

\$115.00
Including GST
 \$100.00 excluding GST
 XA-TR165-190



MACHINE TROLLEY SLIDING DRAWERS

- Ideal for small inverter welders
- Solid design with cylinder rack
- Easy to assemble flat pack kitset
- Solid rubber rear wheels
- Quality front wheel castors
- Multi-positional front handle
- Top Tray 520 x 280mm
- Size: 710 x 370 x 845mm

\$249.00
Including GST
 \$216.52 excluding GST
 XA-TRD



PROBAN WELDING JACKET PROBAN TREATED COTTON

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for use in tough conditions. The lightweight Proban® treated cotton body and sleeves provide great manoeuvrability, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
 - Kevlar® Stitching
 - Great manoeuvrability
 - High Quality, Low Cost
 - Kiwi Sizing: M, L, XL, XXL & XXXL
- | | |
|-------------|-----------|
| XA-BPJ-M | Medium |
| XA-BPJ-L | Large |
| XA-BPJ-XL | X-Large |
| XA-BPJ-XXL | XX-Large |
| XA-BPJ-XXXL | XXX-Large |

\$75.00
Including GST
 \$65.22 excluding GST



BLACK WELDING JACKET PROBAN TREATED COTTON BODY LEATHER SLEEVES

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for extended use under tough conditions. Full leather sleeves provide protection against spatter, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
 - Premium Cowhide Leather Sleeves
 - Kevlar® Stitching
 - Great manoeuvrability
 - Kiwi Sizing: M, L, XL, XXL, XXXL
- | | |
|--------------|-----------|
| XA-BLPJ-M | Medium |
| XA-BLPJ-L | Large |
| XA-BLPJ-XL | X-Large |
| XA-BLPJ-XXL | XX-Large |
| XA-BLPJ-XXXL | XXX-Large |

\$106.00
Including GST
 \$92.17 excluding GST



WELDING APRON COWHIDE LEATHER

Xcel-Arc Black Series Leather Welding Aprons are made from highly durable and pliable split cowhide. Genuine Kevlar® thread is used in all stitching, providing high strength and durability. A unique cross over strap design includes easily adjustable straps. Available in black and one size fits all at 107cm in length.

Extra Long 107cm Length
One Size Fits All

XA-BLA Black Leather Welding Apron 107cm Length

\$81.39
Including GST
 \$70.77 excluding GST



RAZORWELD**ARC630****ARC630****630AMP DC MMA/CAG/TIG**

- New MCU control system
- MMA (stick electrode)
 - Selectable On/Off VRD
 - Hot start
 - Arc Force
 - Excellent arc stability
- DC-TIG
 - Lift Arc Ignition
 - Ultra smooth DC-TIG current
- Arc Air Gouging Mode with High OCV
- Generator Compatible
- Thermal overload protection
- Tolerant to variable power supply
- Compliant to AS/NZ 60974-1



Power Supply	415V - 3Ph
I _{eff}	MMA 31.0 Amps TIG 31.6 Amps
I _{Max}	MMA 62.0 Amps TIG 50.0 Amps
Duty Cycle @ 40°C	25% @ 630A MMA 100% @ 315A MMA 40% @ 630A TIG 100% @ 400A TIG
OCV (VRD Off)	90V
Power Factor	0.7
Efficiency	≥80
Weight	33.5kg
Certification Approval	AS/NZ60974-1

**MCU CONTROL SYSTEM****THERMAL OVERLOAD PROTECTION****SWITCHABLE VRD****PHASE LOSS PROTECTION****3 YEAR MACHINE WARRANTY****\$3,969.00****Including GST**\$3,451.30 excluding GST
XA-ARC630RZ-K

C/w Machine and Manual

Earth Lead & Arc Lead are optional and Extra

RAZORCUT**CUT120RZ****CUT120****120AMP PLASMA CUTTER****MADE FOR THE PROFESSIONAL NEEDING MAXIMUM POWER FROM A PORTABLE MACHINE**

- 120 Amp @ 35% Duty Cycle - 415V
- 45mm Clean Cut on Steel
- 60mm Sever Cut on Steel
- Digital Screen
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

DIGITAL LCD SCREEN**3 YEAR MACHINE WARRANTY**

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	60% @ 120A
Current Range	20-120A
No Load Voltage	420V
Air Flow Draw	7.0cfm
Air Pressure	75psi
Weight	24kg
Dimensions (mm)	560x220x415

BONUS
See page 3**\$5,330.00****Including GST**\$4,634.78 excluding GST
XA-CUT120RZ-K

C/w 6m SC120 Suregrip™ Plasma Torch, Earth Lead and Spares.

XA XCEL-ARC**EVOLVE****200 PULSE**

NEXT GENERATION PULSE MIG

MIG • TIG • MMA

EVOLVE200PULSE**200AMP PULSE MIG/TIG/MMA****SETTING A NEW STANDARD SYNERGIC OPERATION**

- Multifunction MIG/TIG/MMA
- 5" LCD Touch Screen
- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless
- 5kg Spool Capacity
- Spoolgun & Push-Pull Ready
- DC-TIG with HF Start & Gas Solenoid
- TIG Pulse, Slope & Gas Timer Controls
- MMA with Anti-Stick, Arc Force & Power Limit
- Unique EVOLVE Smart App for device connectivity
- Compliant to AS/NZ 60974-1



Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 200A
@ 25°C	40% @ 200A
Current Range MIG	40 - 200A
Current Range TIG	5 - 200A
Current Range MMA	20 - 180A
Rated Power	11 KVA
Dimensions	605x230x400mm
Weight	17kg

**SINGLE & DOUBLE PULSE MIG****SYNERGIC PROGRAMS****WIRELESS APP CONTROL****4 GEARED WIRE DRIVE****5" TOUCH LCD SCREEN****3 YEAR MACHINE WARRANTY**

C/w 3m DM26 Suregrip™ Mig Torch with Remote Controls, Arc Set x 4m, Twin Gauge Argon Regulator.

Tig Torch is Optional and Extra

\$3,955.00**Including GST**\$3,439.13 excluding GST
XA-MIG200EP-K**RAZORCUT****CUT120RZ****CUT120****120AMP PLASMA CUTTER****MADE FOR THE PROFESSIONAL NEEDING MAXIMUM POWER FROM A PORTABLE MACHINE**

- 120 Amp @ 35% Duty Cycle - 415V
- 45mm Clean Cut on Steel
- 60mm Sever Cut on Steel
- Digital Screen
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

DIGITAL LCD SCREEN**3 YEAR MACHINE WARRANTY**

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	60% @ 120A
Current Range	20-120A
No Load Voltage	420V
Air Flow Draw	7.0cfm
Air Pressure	75psi
Weight	24kg
Dimensions (mm)	560x220x415

BONUS
See page 3**\$5,330.00****Including GST**\$4,634.78 excluding GST
XA-CUT120RZ-K

C/w 6m SC120 Suregrip™ Plasma Torch, Earth Lead and Spares.

VIPER**NEW RELEASE****SYNERGIC MIG135****135AMP MIG/TIG/MMA WELDER****SINGLE KNOB MIG CONTROL**

Synergic MIG control takes the guesswork out of your settings. Simply select your wire size, then turn the Synergic power knob up or down to suit the heat level required for the job.

- Multi-process MIG, TIG, MMA (Stick)
- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- DC Lift Arc TIG
- Light Weight 5.2kg
- Certified & Approved to AS/NZS 60974-1

**10 AMP**

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 135A
@ 25°C	40% @ 135A
I _{eff}	8.4A
Amp Range MIG	40 - 120A
Amp Range TIG	20 - 120A
Amp Range MMA	20 - 120A
Rated Power	8.0 kVA

1 YEAR MACHINE WARRANTY

Supplied with Fixed Mig Torch, Earth Lead, Drive Roll Set, 1kg Spool Gasless Wire.

\$593.00**Including GST**\$515.65 excluding GST
XA-MIG135V-K

RAZORWELD MIG200WRZ

MIG200WRZ 200AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Spool Gun & Push Pull Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1



Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 200A
@ 25°C	40% @ 200A
Current Range MIG	30 - 200A
Current Range TIG-MMA	10 - 200A
Weight	57Kg
Dimensions (mm)	900x400x785

\$2,300.00
Including GST

\$2,000.00 excluding GST
XA-MIG200WRZ-K

C/w 4m XA24 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

RAZORWELD MIG250CRZ

MIG250CRZ 250AMP DC MIG/TIG/MMA

- MIG Gas/Gasless
- Inductance & Burn Back Control
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1



Power Supply	230V - 1Ph
Duty Cycle @ 40°C	30% @ 250A
@ 25°C	60% @ 250A
Current Range MIG	30 - 250A
Current Range MMA/TIG	15 - 250A
Rated Power	10.8 KVA
Dimensions (mm)	628x267x453
Weight	30kg

FREE
Trolley worth \$383 Incl

\$2,530.00
Including GST

\$2,200.00 excluding GST
XA-MIG250CRZ-SP

C/w 4m XA24 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is optional and extra



TRADESMAN WELDING GLOVES LEFT HAND PAIRS AVAILABLE

Designed for Tradesmen, these quality welding gloves are made of heat and flame resistant split cowhide. Ideal for MIG and ARC welding.



Code	Description	+GST	INCL
XA-10-2015L	Large Pair	\$12.91	\$14.85
XA-10-2015L-LH	Left Hand Large Pair	\$12.91	\$14.85
XA-10-2015XL	XL Pair	\$13.22	\$15.20
XA-10-2015XL-LH	Left Hand XL Pair	\$13.22	\$15.20



TIG WELDING GLOVES GDS SOFT TOUCH TIG GLOVES

This unique design provides a protective layer that moulds to your hand, feels like your own skin.



\$26.00
Including GST

\$22.61 excluding GST

XA-10-1027-L Large
XA-10-1027-XL X-Large

ER100S-G HIGH TENSILE MIG WIRE CHROME NICKEL MOLYBDENUM ALLOYED

Suitable for Structural Steel, Transport Engineering, Heavy Equipment, Earth Moving Repairs & Fabrication, Crane Repairs & Fabrication. Petrochemical Industry

- High Tensile Strength Welds 690MPa (100,000psi)
- Copper Coated & Precision Layer Wound
- Gas: 75-95% Argon / Balance Co2 or 98% Argon 2%O2



Code	Description	+GST	INCL
XA-100SG1015	ER100S-G HighTensile Mig Wire 1.0mm x 15kg	\$140.87	\$162.00
XA-100SG1215	ER100S-G HighTensile Mig Wire 1.2mm x 15kg	\$136.52	\$157.00

CO2 SHIELDED FLUX CORE WIRE AWS D1.8M:2009 SEISMIC APPROVED

Suitable for Structural & General Fabrication, Transport Engineering, Agriculture Equipment, Heavy Machinery & Marine Engineering

- AWS A5.20 E71T-1C
- All Position Welding
- Smooth Arc Transfer
- Fast Freezing Slag
- Smooth Weld Bead
- ABS Approvals



Code	Description	+GST	INCL
XFC721215	XA E71T-1C CO2 Flux Core Wire 1.2mm x 15kg	\$80.00	\$92.00
XFC721615	XA E71T-1C CO2 Flux Core Wire 1.6mm x 15kg	\$80.00	\$92.00



HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

HEAVY DUTY RUBBER SHEATHED CABLE

- Prevents Damaging Voltage Drop
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-REL15A-10M	Xcel-Arc Rubber 10m Extension Lead	\$107.78	\$123.95
XA-REL15A-15M	Xcel-Arc Rubber 15m Extension Lead	\$134.74	\$154.95
XA-REL15A-20M	Xcel-Arc Rubber 20m Extension Lead	\$159.13	\$183.00

BRAIDED FOR MAXIMUM HEAVY DUTY ROBUST AND IDEAL FOR CONSTRUCTION SITES

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- Crush and Cut Resistant
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-BEL15A-10M	Xcel-Arc Braided 10m Extension Lead	\$115.65	\$133.00
XA-BEL15A-15M	Xcel-Arc Braided 15m Extension Lead	\$154.78	\$178.00



WELDING FUME EXTRACTOR 230V SINGLE PHASE

Portable fume extraction system with moveable and flexible arm. Capable of filtering an area of up to 8 cubic metres. Provides easy & effective protection against harmful emissions of welding fumes and grinding dust. Internal collection tray for removal of particles and fitted with long-life filter element.

WARNING! WORKSAFE NEW ZEALAND

Prolonged exposure to welding fumes is a serious hazard to workers respiratory health.

Welding and hot cutting produce metal and fluxing fumes made up of toxic gases and very fine particles. Inhaling welding fumes can cause ill health.

- Acute bronchitis
- Airway irritation
- Occupational asthma
- Metal fume fever
- Pneumonitis
- COPD - Chronic obstructive pulmonary disease
- Cancers
- Pneumoconiosis



Download the WORKSAFE Fact Sheet



Technical Data

Air Volume	2000 ± 100m ³ /h
Air Suction Arm	1000m ³ /h
Motor Power	0.75kw
Working Voltage	240V/50Hz 1 Phase
Filtering Area	8.0m ³
Maximum Pressure	1900Pa
Compressed Air	0.5-0.6MPa
Filtration Efficiency	>99.9%
Noise Level	<74 ± 5 dB(A)
Dimensions	510x610x999mm
Weight	98 ± 5Kg
Warranty	2 years



\$4,599.00
Including GST

\$3,999.13 excluding GST
KSJ-0.7S



ELIPSE® HALF-MASK P2 RESPIRATOR

The Elipse® Half-Mask P2 Respirator combines a particulate filter with an activated carbon cloth to provide a minimum 99.95% filtration against odours, dust, all types of fumes, oil and water mists and micro-organisms. It is designed to fit under most welding helmets and welding masks.

- Approved to AS/NZS 1716:2012 as a P2 Reusable Respirator, as the P3 filters are fitted on Half Mask.
- Latex and silicone-free, lightweight TPE face piece that is comfortable to wear for long periods of time.
- Low profile filters provide an unobstructed view.
- Compatible with other PPE safety products including visors and welding helmets.



MADE IN UK



WELDING HELMET NOT INCLUDED

- XA-MASK-SM Elipse P2 Welding Mask - Small/Medium
- XA-MASK-ML Elipse P2 Welding Mask - Medium/Large

\$78.95
Including GST
\$68.65 excluding GST

P3 REPLACEMENT FILTER SET

Replacement filters for the Elipse® Half-Mask P2 Respirator. P3 >99.95% for 0.3 µ particulate. Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Glued additional carbon activated impregnated media

XA-FILTER-TP Replacement P3 Filter Pack



\$34.50
Including GST
\$30.00 excluding GST

“ Want to know more? ” Visit www.xcelarc.nz or contact your nearest Xcel-Arc and Razorweld stockist today!



Special pricing valid until 29th February, 2024

TradeZone

New Zealand

WWW.TRADEZONE.CO.NZ



100% KIWI OWNED, OPERATED
AND PROUD OF IT!

The stores promoting the offers featured in this publication are independent businesses. Therefore, not all products in this catalogue are kept in stock at all times at all stores. Although best efforts have been made to ensure all details in this catalogue are correct at the time of printing, Esseti New Zealand Limited (the importer) reserves the right to correct pricing and printing errors and product specifications should the need arise. Offers valid until 29th February, 2024 or while stocks last.